

Graphic Products

Catalog



Windows, Walls,
Floors and More!

Windows

B•Free®	3
M•Dot® Window	3
Windowview®	4
Simply Sustainable® - Non PVC	5
Glass Décor	6
Glass Etch Cast Film	6

Walls

REBEL®	
Rebel RB500H & RB500CT	7
Rebel RB500 Series	7
Rebel RB400 & RB200 Series	8
OODLES™	
Wallnoodle®	9
Roodle®	9
Permanoodle™	9
Roughrap®	9
Printvinyl™ Gray & Printvinyl	10
Printvinyl Scored & Roodle Scored	11
Gruv™	11

Floors

Streetrap®	12
-------------------	----

Digital Cast Films for Vehicles

Gruv™ 7	13
Coming Soon! Gruv™ Slideable	13

Overlaminates

Promogard®	14
Rayzor™	15
Colorgard® LUV	15
Colorgard Floor	16
Dry Erase	16
SAG Anti-Graffiti	16

Color Cast Films

6600 Opaque	17
Carbon Fiber Wrap	17
6800 Electric	18
6700 Gemstones	18
6500 Metallic	18

Marking Films

Macmark®	
3300PRO	19
Application Tapes	20
Paint Mask	20

Mounting Films

Permahold®	21
GS Tapes	22

Miscellaneous

Open Image Warranty SM	23
-----------------------------------	----



Click on the PDF icon to view the PDF.



High-Performance Frosted, Dusted & Clear – Dry Installation

Even easier to apply. Designed for indoor/outdoor window graphics and light boxes. Offered in a 3.1 translucent matte dusted, matte frosted and clear gloss. The micro-structured adhesive allows for the increased speed of dry application on windows with no air bubbles or wrinkling, and provides an exceptionally smooth surface for printing.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
JJ5796MBFv2	3.1 mil Matte Frosted	Repositionable Permanent	90# LFP	54" x 75'	24	5-7 years
JX5796MBFv2				54" x 150'	47	
JJ5798MBFv2	3.1 mil Matte Dusted	Repositionable Permanent	90# LFP	54" x 75'	24	5-7 years
JX5798MBFv2				54" x 150'	47	
JJ5799MBFv2	3.1 mil Gloss Clear	Repositionable Permanent	90# LFP	54" x 75'	24	5-7 years
JX5799MBFv2				54" x 150'	47	



Easy Install

This dot patterned repositionable adhesive requires no tools for application! Short to moderate-term indoor advertising and promotions on flat smooth surfaces. **For indoor use only.**



MD199W54L150	4.0 mil Gloss Clear PVC	Dot Patterned Removable	90# LFP	54" x 150'	46	1 year
MD199W60L150				60" x 150'	57	
MD228W54L150	4.0 mil Matte White PVC	Dot Patterned Removable	90# LFP	54" x 150'	46	1 year
MD228W60L150				60" x 150'	57	

LFP - Layflat polycoated



Windowview®

Mactac has your windows covered with options from frosted, clear, opaque, and translucent. Dry and Wet apply installation options. Choose which window film is the best for your next application.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
WV528PW60L150	Matte White Translucent	Permanent	72# LFP	60"x150'	47	
WV399PW54L150	Gloss Clear Permanent	Permanent	90# LFP	54"x150'	47	
WV129PW54L150	Gloss White Opaque	Permanent	90# LFP	54"x150'	47	
WV129PW60L150				60"x150'	47	
WV599RW54L150	Gloss Clear Removable	Removable	90# LFP	54"x150'	47	
WV399RW54L150	Easy Gloss Clear	Removable	90# Air-egress	54"x150'	47	
WV596PW60L150	Easy Etch Matte Frosted	Permanent	90# Air-egress	60"x150'	47	

LFP - Layflat polycoated

^ Limited availability, discontinued items



Simply Sustainable® - designed for window or glass surfaces but are versatile for other applications as well.

Opaque Friendly Print

Designed for medium-term advertising on glass surfaces and can be used as a barrier film.



Suitable for: UV inkjet printing

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
SS129W54L150	Gloss White Polypropylene	Permanent	50# G	54" x 150'	46	

Crystal Cling

Offering excellent clarity for see-through window graphics.



Suitable for: UV inkjet, latex and UV screen printing.

SS299W54L150	Crystal Cling Gloss Clear Polyester	Removable	3.0 mil PET	54" x 150'	46	
------------------------------	--	-----------	----------------	------------	----	--

Magic Cling

Designed to adhere to any smooth glass surfaces such as display cases or beverage coolers as well as other smooth plastic and metal surfaces.



Suitable for: UV inkjet, latex, offset UV and UV screen printing.

SS29W54L150	Magic Cling Clear Gloss Clear Polypropylene	Low Tack Remov- able	90# LFP	54" x 150'	46	
SS99W54L150	Magic Cling White Gloss White Polypropylene	Low Tack Remov- able	90# LFP	54" x 150'	46	

LFP - Layflat polycoated

G - Bleached GLASSINE

PET - Polyester



Glass Décor

The new Glass Décor CV3500 series is translucent vinyl films with Frosted and Dusted finishes for decorating glass windows, mirrors, or doors with an etched, frosted, or sandblasted look. The film is a translucent matte 3.2-mil vinyl with a repositionable permanent adhesive and excellent wet-out characteristics. A 90# white kraft liner offers great stability.



Stock	CV359801	Frosted 48" x 150'	CV359802	Dusted 48" x 150'	
	CY359801	Frosted 60" x 150'	CY359802	Dusted 60" x 150'	

Glass Etch Film - Cast

Window film for graphic accents; privacy and allows natural light. Ideal for Offices, architectural, and signage



Stock	MR37287W48L150	Glass Etch 48" x 150'
	MR37287W60L150	Glass Etch 60" x 150'



High Tack RB500H & Cold Temp RB500CT - Vinyl media for hard to stick to surfaces

Extreme bond for ultimate adhesion. Available in high-tack or cold-temp clear gloss and matte white. The best high-tack adhesion for general-purpose graphic applications. Stocked with 90# Layflat liners.

Suitable for: Solvent, eco-solvent, and latex printing, UV and solvent screen printing, thermal transfer printing, UV offset, and UV flexographic printing.

Overlaminates with: Rayzor™, Colorgard® LUV



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
RB599HW54L150	Gloss Clear	High-tack	90# LFP	54" x 150'	46	
RB528HW54L75	Matte White	High-tack	90# LFP	54" x 75'	26	
RB528HW54L150				54" x 150'	46	
RB528HW60L150				60" x 150'	52	
RB528CTW54L150	Matte White	Cold-Temp High-tack	90# LFP	54" x 150'	46	
RB528CTW60L150				60" x 150'	52	
RB599CTW54L150	Clear High Gloss	Cold-Temp High-tack	90# LFP	54" x 150'	46	
RB599CTW60L150				60" x 150'	52	



RB500 Polymeric Vinyl Media

High performance opaque white gloss and matte face films deliver better than 99% opacity with a high performance clear adhesive for a wider range of graphic applications. 90# Layflat liner delivers the best lay flat and heat dispersion in the industry.

Suitable for: Solvent, eco-solvent & latex printing, UV & solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.

Overlaminates with: Rayzor™, Colorgard® LUV



RB528PW54L150	Matte White	Permanent	90# LFP	54" x 150'	46	
RB528PW60L150				60" x 150'	52	
RB528RW54L150	Matte White	Removable	90# LFP	54" x 150'	46	
RB528RW60L150				60" x 150'	52	
RB529RW60L150	Gloss White	Removable	90# LFP	60" x 150'	52	
RB599RW54L150	Gloss Clear	Removable	90# LFP	54" x 150'	46	

Custom Sizes Available Upon Request







RB400 Series INTERMEDIATE Vinyl Media

Intermediate matte and gloss multi-print face stocks with good opacity and a clear high performance adhesive for a wide range of graphic applications. Up to 4 years outdoor durability and a premium 90# Layflat liner.

Suitable for: Solvent, eco-solvent & latex printing, UV & solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.

Overlaminates with: Colorgard® LUV or Promogard®



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
RB428PW54L150	 Matte White	Permanent	90# LFP	54" x 150'	46	 4 years
RB428PW60L150				60" x 150'	52	
RB429PW60L150	 Gloss White	Permanent	90# LFP	60" x 150'	52	 4 years
RB429PW54L150				54" x 150'	46	





RB200 Series PROMOTIONAL Vinyl Media

Economical gloss and matte face stocks with high quality clear removable adhesive for a wide range of graphic applications with 90# layflat liner. Up to 2 years outdoor durability.

Suitable for: Solvent, eco-solvent & latex printing, UV & solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.

Overlaminates with: Promogard



RB228RW54L150	 Matte White	Removable	90# LFP	54" x 150'	45	 2 years
-------------------------------	---	-----------	---------	------------	----	---

Custom Sizes Available Upon Request

LFP - Layflat polycoated

walnoodle® roodle® permanoodle®

OODLES® Vinyl Media

This family of 6.0 mil matte white media is designed for wall posters, murals, point of purchase and much more. Featuring an ultra-removable adhesive on Wallnoodle®, a robust removable on Roodle® and an aggressive permanent adhesive on Permanoodle™. Ask us about sheeting and longer rolls.



This family meets ANSI Class A, NFPA Class A and 1CB Class 1 for flame spread and smoke density, tested under ASTM E-84 as well as latest compliance requirements with UL 10b and 10c certification.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet, UV offset and UV screen printing.

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
WN628W54	6.0 mil Wallnoodle	Ultra-Removable, Repositionable	90# LFP	54" x 100'	45	Indoor Only
WN628W60				60" x 100'	49	
RO628W54L100	6.0 mil Roodle	Removable	90# LFP	54" x 100'	45	4 years
RO628W60L100				60" x 100'	49	
PN628W54L100	6.0 mil Permanoodle	Permanent	90# LFP	54" x 100'	44	4 years

Check out our new Roodle Scored print media on page 11.

roughrap®

Print Media for Textured Surfaces

A wall wrapping media for application on indoor/outdoor brick or block surfaces. Its excellent conformability and bond gives a paint-like appearance.



Overlamine with: Rayzor™ G, Matte or Gloss.

Suitable for: Solvent, Eco-solvent, Latex and UV inkjet.

RR100W54L75	2.0 mil Gloss White Cast	Permanent	90# LFP	54" x 75'	20	1.5 years
RR100W54L150				54" x 150'	40	

LFP - Layflat polycoated



Clear Adhesive Series Vinyl Media

Print Vinyl media is designed for short term indoor and outdoor applications on flat and slightly curved surfaces, including signage and POP for up to 4 years.

Suitable for: Solvent, eco-solvent, latex, UV inkjet, and UV screen printing.

Overlaminates with: Promogard



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
PV328PW54L150	3.2 mil Matte White	Permanent	78# CCK	54" x 150'	46	3 years
PV328PW60L150				60" x 150'	52	
PV328RW54L150	3.2 mil Matte White	Removable	78# CCK	54" x 150'	46	3 years
PV328RW60L150				60" x 150'	52	
PV329PW54L150	3.2 mil Gloss White	Permanent	78# CCK	54" x 150'	46	3 years
PV329PW60L150				60" x 150'	52	
PV529RW54L150	3.2 mil Gloss White	Removable	90# LFP	54" x 150'	46	5 years



Gray Adhesive Vinyl Media

Print Vinyl Opaque media is designed for short term indoor and outdoor applications on flat and slightly curved surfaces, including signage and POP for three to five years.

Suitable for: Solvent, eco-solvent, latex, UV inkjet, and UV screen printing.

Overlaminates with: Promogard



PVG328PW54L150	3.2 mil Matte White	Gray Permanent	78# CCK	54" x 150'	46	3 years
PVG329PW54L150	3.2 mil Gloss White	Gray Permanent	78# CCK	54" x 150'	46	3 years
PVG329RW54L150		Gray Removable	78# CCK	54" x 150'	46	
PVG528PW54L150	3.5 mil Matte White	Gray Permanent	90# LFP	54" x 150'	46	5 years
PVG529PW54L150	3.5 mil Gloss White	Gray Permanent	90# LFP	54" x 150'	46	5 years
PVG528HTW54L150	3.2 mil Matte White	Gray High Tack	90# LFP	54"x150'	47	4 years

LFP - Layflat polycoated

CCK - Clay coated kraft

printvinyl[®] scored roodle[®] scored

Scored Liner Vinyl Media

The scored product line is an excellent option for creating decals, product stickers, and packaging labels because the scored liner is easy for all to remove.

Suitable for: Solvent, UV, and latex inkjet printers and can be used in applications for walls, signage, and promotional images.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
PVS528URW54L150	3.2 mil Matte White Vinyl	Ultra-Removable	78# CCK Scored	54" x 150'	46	5 years
PVS528URW60L150				60" x 150'	52	
PVS528PW54L150	3.2 mil Matte White Vinyl	Permanent	78# CCK Scored	54" x 150'	46	5 years
PVS528PW60L150				60" x 150'	52	
ROS528W54L150	3.2 mil Matte White Vinyl	Aggressive Removable	78# CCK Scored	54" x 150"	68	4 years

gruv[™]

Air-Egress Vinyl Media

Air-egress media for short and medium term indoor and outdoor signage on flat and simply curved surfaces.

Suitable for: Latex, UV-cured, Solvent and Eco-solvent inkjet printers



GV428PW54L150	3.2 mil Matte White Opaque	Gray Permanent	90# Air-egress	54" x 150'	40	4 years
GV429PW54L150	3.2 mil Gloss White Opaque	Gray Permanent	90# Air-egress	54" x 150'	40	4 years
GV429RW54L150	3.2 mil Gloss White Opaque	Gray Removable	90# Air-egress	54" x 150'	40	4 years
GV528PW54L150	3.0 mil Matte White Opaque	Gray Permanent	90# Air-egress	54" x 150'	40	5 years
GV528PW60L150				60" x 150'	45	
GV529PW54L150	3.0 mil Gloss White Opaque	Gray Permanent	90# Air-egress	54" x 150'	40	5 years
GV529PW60L150				60" x 150'	45	
GV529RW54L150	3.0 mil Gloss White Opaque	Gray Removable	90# Air-egress	54" x 150'	40	5 years

CCK- Clay coated kraft



"TWO-STEP" Outdoor Sidewalk Graphics Vinyl Media

Digital print media designed for the production of outdoor sidewalk and parking lot 'floor' graphics. The aggressive, specially engineered adhesive, bonds well to rough concrete and asphalt surfaces.



Suitable for: Solvent, eco-solvent, latex and UV-cured inkjet inks and UV or solvent screen inks.

Overlamine with: PF6654W54L150 for outdoor floor graphics. See page 21 for all slip resistant textured overlaminate films.

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
STR328L100	Matte White Opaque	Aggressive Permanent Opaque	90# LFP	54" x 100'	40	

LFP - Layflat polycoated

printvinyl® gray Check out PVG528HT on page 10 for indoor floors and carpet applications.



Cast Vinyl Media - GV729

Designed for partial wraps, flat and simple curves and long term signage, GV729 combines excellent performance and economics.

Overlaminates with: Rayzor G, Gloss or Matte cast.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet and UV screen printing.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
GV729RW54L150	2.0 mil Gloss White	Gray Removable	90# Air-egress	54" x 150'	40	7 years
GV729RW60L150				60" x 150'	45	
GV729PW54L150	2.0 mil Gloss White	Gray Permanent	90# Air-egress	54" x 150'	40	7 years
GV729PW60L150				60" x 150'	45	

gruv™ slideable **Coming Soon!**

Cast Vinyl Media - GV1029S

The new Gruv Slideable promises faster, easier graphic installation on vehicles, buses, fleets, and more. It is created with highly engineered repositionable adhesive and microchannel technology.

Overlaminates with: Rayzor, Gloss or Matte cast.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet and UV screen printing.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
GV1029SW54L150	2.0 mil Gloss White	Gray Repositionable	Micro Channel Air-egress	54" x 150'	40	10 years
GV1029W60L150				60" x 150'	45	

Overlaminates



PG3000 Series Laminates

PG3000 Series overlaminate films are promotional clear 3.2 mil films that are available in Gloss, Matte and Luster. These films can be laminated to digital images including solvent and eco-solvent inkjet, and water-based inkjet prints to impart protection from abrasion, moisture, UV light and other potentially damaging effects in both indoor and outdoor environments.



Use with: All digitally printed media

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
PG3054W54L150	3.2 mil Gloss	Permanent	78# CCK	54" x 150'	35	3 years
PG3054W60L150				60" x 150'	40	
PG3254W54L150	3.2 mil Matte	Permanent	78# CCK	54" x 150'	35	3 years
PG3254W60L150				60" x 150'	40	
PG3354W54L150	3.2 mil Luster	Permanent	78# CCK	54" x 150'	35	3 years
PG3354W60L150				60" x 150'	40	



PG7000 Series Vinyl Overlaminate

These promotional laminating films provide protection and light control for POP, POS and general signage applications with a 4 years outdoor durability at a great economical price.



Use with: All digitally printed media

PG7054	3.5 mil Gloss	Permanent	40# Kraft	54" x 150'	35	4 years
PG7060				60" x 150'	42	
PG7254	3.0 mil Matte	Permanent	40# Kraft	54" x 150'	35	4 years

CCK- Clay coated kraft



LF3600 - 1.5 mil Clear Cast Vinyl

1.5 mil cast Matte and Gloss overlaminate films designed for full and partial vehicle wraps and other high-performance applications. This laminate enhances the image and protects against UV light exposure, moisture, dirt and abrasion and offers a durability of up to 5 years in exterior applications.



Use with: Gruv™ GV729R, GV729P, Gruv Slideable and other high-performance print media

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
LF3648	1.5 mil Optically Clear Gloss	Permanent	1.2 mil PET	54" x 150'	30	5 years
LF3649				60" x 150'	34	
LF3648GL75	1.5 mil Clear Gloss	Permanent	50# Glassine	54" x 75'	19	5 years
LF3648G				54" x 150'	30	
LF3649G				60" x 150'	34	
LF3638GL75	1.5 mil Matte	Permanent	50# Glassine	54" x 75'	19	5 years
LF3638G				54" x 150'	30	
LF3639G				60" x 150'	34	



LUV - Polymeric PVC Overlaminates that wet out over UV Inks

A 5-7 year overlaminate film. LUV is designed to enhance and protect all your digital images, including UV inkjet, from UV light degradation, moisture, dirt and abrasion.



Use with: All digitally printed media

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
LUV8054W54L150	3.0 mil Gloss	Permanent	58# WK	54" x 150'	35	5 years
LUV8060W60L150				60" x 150'	37	
LUV8254W54L150	3.0 mil Matte	Permanent	58# WK	54" x 150'	35	5 years
LUV8260W60L150				60" x 150'	37	
LUV8354W54L150	3.0 mil Luster	Permanent	58# WK	54" x 150'	35	5 years
LUV8360W60L150				60" x 150'	37	

PET - Polyester

G - Bleached GLASSINE

WK - White Kraft

Specialty Overlaminates

colorgard[®] floor

Textured Floor Overlaminates

Textured overlaminates that provide slip resistance. Mactac's PF6600 exceeds the new ANSI/NFSI slip-resistant test B103.1 and B101.1 for outdoor high traffic areas. PF6300, PF6400 and PF6500 are recommended for indoor floors only.



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
PF6315	PF6300 PVC	Permanent	83# Kraft	53.9" x 164'	37	N/A
PF6354L100			83# Kraft	54" x 100'	29	N/A
PF6454	PF6400 PP	Permanent	1.2 mil PET	54" x 150'	35	N/A
PF6500C	PF6500 PVC	Permanent	1.2 mil PET	54" x 150'	37	N/A
PF6654W54L150 	PF6600 PVC	Permanent	78# WK	54" x 150'	48	

colorgard[®]

PGD6000 Dry Erase - Hardcoated PET

Gloss, hard-coated PET for the ultimate in dry-erase capability with a wide variety of dry-erase pens.



PGD6054L150	PET	Permanent	1.2 mil PET	54" x 150'	18	
-----------------------------	-----	-----------	-------------	------------	----	--

colorgard[®]

Polyester Anti-Graffiti Films

Optically-clear laminating films which are engineered to protect your images and windows from vandalism and add an additional layer of safety from flying glass shards in case of breakage.



SAG38W54L150	Gloss PET	Permanent	1.5 mil PET	54" x 150'	25	
------------------------------	-----------	-----------	-------------	------------	----	--

WK- White kraft PET - Polyester

6600 Opaque Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.0 mil high-performance films for tough applications, including irregular surfaces and substrates with rivets and corrugations.



	Part	Color Name	Part	Color Name	Part	Color Name
Stock	CV668927	BRIGHT YELLOW	CV668852	CARDINAL RED	CV667246	GLOSS BLACK
	CV667249	GRAY	CV667024	FOREST GREEN	CV667247	MATTE BLACK
	CV667166	BRIGHT ORANGE	CV667084	MEDIUM SAPPHIRE BLUE	CV662120	GLOSS WHITE
	CV667654	ARREST-ME-RED	CV668542	INTENSE BLUE		

Carbon Fiber Wrap Film - 60" x 150' Rolls

High-performance cast vinyl film for graphics accents can be used for automotive graphics and striping, architectural, and signage.



Stock	MR33076W60L150	CARBON FIBER DIAGO WRAP BLACK
-------	--------------------------------	-------------------------------



Color Cast Films

6800 Electric Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.3 mil short-term indoor or outdoor high-impact graphic accents, including automotive aftermarket windshield graphics and accent stripes, retail window signage, trade show exhibits, point-of-purchase displays, die-cut letters and numbers and screen-printed decals.



	Part	Color Name	Part	Color Name	Part	Color Name
Stock	CV687609	ELECTRIC RED	CV687613	ELECTRIC GREEN	CV687615	ELECTRIC ORANGE
	CV687612	ELECTRIC FUCHSIA	CV687614	ELECTRIC YELLOW		

6700 Gemstone Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 3.0 mil dynamic graphic accents; feature excellent surface gloss, color depth and opacity; ideal for RV and marine applications.



Stock	CV677357	DIAMOND GEM	CV677669	ROSE QUARTZ GEM	CV677945	FIRE OPAL GEM
	CV677591	SMOKY QUARTZ GEM	CV677684	TOPAZ GEM	CV678220	EMERALD GREEN
	CV677668	BERYL GEM				

6500 Metallic Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.0 mil high-performance films for contoured or flat surfaces with rivets; have excellent weathering/aging performance for fleet, marine, and automotive graphics and striping, architectural signage, decals, computerized signs, and service station markings.



Stock	CV657142	AUTUMN GOLD METALLIC	CV657252	SILVER METALLIC	CV657254	GOLD METALLIC
	CV657250	CHARCOAL METALLIC				



3300PRO Series | 3.0 mil Calendered Vinyl | Permanent | 78# Clay Coated

This 3.0 mil gloss intermediate film is the workhorse of Mactac's computer-aided signage vinyls. The product is coated with a permanent clear solvent acrylic adhesive protected by a 78# Clay Coated Kraft liner. These films are designed for application on flat to slightly curved surfaces which makes them an excellent choice to deliver a wide range of messages on a variety of substrates. Up to 5 years outdoor durability.



48" x 150' Roll - 42 lbs.						
	Part	Color Name	Part	Color Name	Part	Color Name
GLOSS Stock	CV332900	GLOSS WHITE	CV330323	SUNFLOWER	CV334905	BOTTLE GREEN
	CV338900	GLOSS BLACK	CV333900	MEDIUM BLUE	CV335940	PASSION RED
	CV339900	GLOSS CLEAR	CV333913	ROYAL BLUE	CV336900	SILVER
	CV330122	ORANGE	CV333933	NAVY	CV337900	GOLD
					CV339900	CLEAR
MATTE Stock	CV332800	MATTE WHITE	CV338800	MATTE BLACK		

Marking Films

Application Tapes

Designed to assist in the application and transfer of pressure-sensitive decals. Also used for protection of screen printed, digitally printed or polished surfaces during storage or shipment. Available in white or clear.

Product Code	Product	Roll Size	Unit per Carton	Units of Measure	Weight
ST1048	210 White Medium Tack Paper	48" x 300'	1	Roll	25
ST1054	210 White Medium Tack Paper	54" x 300'	1	Roll	28
ST1060	210 White Medium Tack Paper	60" x 300'	1	Roll	32
ST2024	220 White High-tack Paper	24" x 300'	2	Ctn	24
ST2048	220 White High-tack Paper	48" x 300'	1	Roll	25
ST3048	230 Clear Medium Tack Film	48" x 300'	1	Roll	25

Paint Mask

A specialty vinyl film designed for paint mask applications with ultra-removable adhesive.

PM338400	3.2 mil Yellow Removable	54" x 150'	1	Roll	43
----------	--------------------------	------------	---	------	----



IP5000 - Opaque Mounting Adhesive

Opaque white polypropylene carrier double coated with a high-tack, high-bond acrylic adhesive for mounting graphics to a wide variety of mounting boards and other surfaces.



IP5008	White Opaque Carrier	Permanent/Permanent	Polycoated Kraft	38" x 150'	21	
IP5002				51" x 150'	29	
IP5001				51" x 400'	64	
IP5040				60" x 150'	33	



PP5000 Polypropylene / Clear PP5600 PET - Mounting Adhesive

Economical, general purpose, high-bond rubber-based adhesive mounting films with a choice of an opaque white PET carrier or a clear PET carrier



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
PP5051L150	White Polypropylene Carrier	Rubber-based Permanent/Permanent	White polycoated paper	51" x 150'	24	
PP5051L400				51" x 400'	65	
PP5054L150				54" x 150'	26	
PP5054L400				54" x 400'	68	
PP5654L150	Clear PET Carrier	Rubber-based Permanent/Permanent	White polycoated paper	54" x 150'	26	
PP5654L400				54" x 400'	68	
PP5651L150				51" x 150'	24	
PP5651L400				51" x 400'	65	



PUV3100 - Optically Clear Face Mounting (2nd Surface) PET - Perm/Perm

These optically clear mounting films are engineered to face-mount or back-mount transparencies and other graphic images to glass, Plexiglas and other clear or translucent substrates. All of these contain UV inhibitors to help protect the image.



PUV3141W41L150	PET Carrier	Permanent/Permanent	2.0 mil PET	41" x 150'	30	
PUV3161W61L150				61" x 150'	38	

PET- Polyester
 ^ Limited availability, discontinued items

Mounting Films

GS Series Tapes

GS Series tapes are constructed with an unsupported high strength pressure-sensitive adhesive with aggressive tack and peel adhesion. Great for low energy, uneven or irregular surfaces.

Product Code	Mils	Roll Size	Unit per Carton	Units of Measure	Weight
GS9020	20.0 mil	1" x 200'	8	Roll	20
GS9035	35.0 mil	3/4" x 200'	8	Roll	25

open image warrantySM

General warranty statement:

Mactac guarantees that the Mactac graphic media, when utilized as recommended by Mactac will perform and provide indoor and "outdoor durability" (1) for the period stated in the corresponding product performance guide from the date of application and under normal vertical exposure conditions provided that the film is properly stored and applied. Application must take place within one year of the original shipment date from Mactac. This warranty is contingent on the Mactac material being processed according to Mactac recommendations in our Product Performance Guides and Technical Bulletins. With use of approved printer, inks, clear coats or overlaminating films and associated processing materials (2) in accordance with Mactac and printer manufacturer recommended written processing instructions (3) and installation in accordance to the preparation and application instructions.

Mactac's warranty covers product quality regarding:

- Delivery of correctly identified product.
- Product produced within manufacturing specifications.
- The absence of visual or hidden defects in the pressure-sensitive construction.
- Correctly trimmed roll dimensions.

"Outdoor durability" for the purpose of this warranty is defined as no appreciable deterioration in the product when viewed from its intended viewing distance. This Open-Image Warranty will be based upon the least durable individual component or combination of components used in the Graphic production. Premature failure during the warranty period due to excessive cracking, crazing, blistering or loss of adhesion shall constitute a breach of warranty.

Warranted life is based on use in the central USA. Areas with greater weather extremes such as south Florida, the southwestern USA, Mexico and other similar regions in tropic, sub-tropic or high pollution areas cannot be expected to have the same durability. Therefore, durability in these regions will be 50% of, or two years less than, (whichever is greater) the durability published on the appropriate Performance Guides.

IMPORTANT NOTICE: The information given and the recommendations made herein are based on our research and are believed to be accurate, but no guarantee of their accuracy or completeness is made. In every case, user shall determine before using any product in full scale production, or in any way, whether such product is suitable for user's intended use for their particular purpose under their own operating conditions. User assumes all risk and liability whatsoever in connection with their use of any product. The products discussed herein are sold with an Open-Image WarrantySM, as to merchantability or fitness for a particular purpose, or any other warranty, expressed or implied. No representative of ours has any authority to waive or change the foregoing provisions, and no statement or recommendation not contained herein shall have any force of effect unless in an agreement signed by the officers of seller and manufacturer. Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent without authority from the owner of the patent. The following is made in lieu of all warranties, expressed or implied: Seller's and manufacturer's only obligation shall be to replace or credit such quantity of the product proved to be defective at its discretion.

Open-Image WarrantySM for Mactac® Media and Laminates:

You make the choice of printer and ink that are best for your business and Mactac will be the partner that stands behind you. Simply provide us with your system and if we have not already tested the combination, we'll run a comprehensive series of tests to insure the system works and then warrant your application. If we find the components are not compatible we'll let you know that, too, and make alternative recommendations. It's that simple!

We stand behind you. And, we work with the most popular printer and ink suppliers to ensure product compatibility and durability.

NORTH AMERICA SHIPPING FACILITIES

Mactac APPLETON
West Quality Drive
Greenville, WI 54942

Mactac KANSAS CITY
2108 Atlantic Avenue
N. Kansas City, MO 64116-3428

Mactac VANCOUVER
1401 West Fourth Plain Blvd.
Dock 13
Vancouver, WA 98660

Mactac COLUMBUS
2576 Norcross Drive
Columbus, IN 47201

Mactac SCRANTON
802 East Corey Street
Scranton, PA 18505-3595

Mactac PHILADELPHIA
275 Lower Morrisville Rd.
Fallsington, PA 19054

Mactac LOS ANGELES
5700 E. Airport Drive, Suite B
Ontario, CA 91761

Mactac SPARTANBURG
1896 Moore Duncan Hwy
Moore, SC 29369

Mactac MINNEAPOLIS
2108 Atlantic Avenue
Minneapolis, MN 55141