

Roll Label Precise<sup>SM</sup> Program



# Stronger Together

**mactac**<sup>®</sup>   
A LINTEC COMPANY

**spinnaker**<sup>®</sup>   
A MACTAC BRAND

– Removed location	41744	Ultra Matte™ Litho / BP-164 / 40# LEM
– Removed location	43168	Ultra Matte Litho / B-82 / 40# LEM
– Removed location	41721	Ultra Matte Litho / B-92 / 40# LEM
– Removed location	46168	Ultra Matte Litho / SC-21 / 40# LEM
– Removed location	49657	ScanTherm™ Ultra / BC-20™ / 40# LEM
– Removed location	41808	45# CTT Piggyback / BP-52/BP-52 / 40#/40# LEM, ONT
– Removed location	48562	58# Primeglos™ / GPR™ / 40# LEM
– Removed length	41916	Tyvek® 1073-D / B-122F™ / 50# 10K: LEM



Stronger  
Together

## Mactac Precise<sup>SM</sup> Policies

- Roll length may vary +/- 10%, exact roll lengths can be purchased at full web.
- Minimum order 1 roll. Minimum width 3”.
- Mactac standard 3” cores.
- Vancouver uses a special 3” ID core that is built up to 4.5” OD to prevent core curl for Laser products.
- Standard packaging, splicing, labeling & pallets will be used.
- Pallets can contain mixed roll widths; all efforts will be taken to limit mixed pallet to one per product ordered.
- All roll lengths 10K & greater will be cradle packaged for handling and shipping safety.
- Mactac designated carriers are required unless ordered FOB Mactac.
- 1.25 = 1,250’   2.5 = 2,500’   3 = 3,000’   5 = 5,000’   10 = 10,000’   15 = 15,000’   20 = 20,000’
- SPL = Spliceless

## Spinnaker Precise<sup>SM</sup> Policies

- All 2,500’ Precise rolls will include a one cent (\$.01) per MSI upcharge on the invoice.
- All products shipped on 3” cores, except where noted.
- Orders accepted and shipped daily. The cut-off for next-business-day shipment is 3:00 PM Eastern (Troy), 3:00 PM Central (Chicago), 4:00 PM Eastern (Atlanta), 3:00 PM Eastern (New York), and 2:30 Pacific (Los Angeles).
- To ensure product quality and safety, all Precise orders are shipped with standard packaging.
- Freight to be paid in accordance with Spinnaker’s normal freight policies.



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Durables</b>														
<b>BDE6914</b>	2.6 mil White UV BOPP	MP690	a	3.2SCK				5					2yr outdoor UL compliant BS-5609 certified	
<b>FAB6914</b>	1.0 mil Clear PET	MP690	a	3.2SCK				2.5					UL compliant	
<b>FAD6914</b>	2.0 mil Clear PET	MP690	a	3.2SCK				2.5 / 5					UL compliant	
<b>FCD4954</b>	2.0 mil White PET	PAT1	a	50#GLAS				2.5	2.5				UL compliant	
<b>FCD6914</b>	2.0 mil White PET	MP690	a	3.2SCK			5	2.5 / 5	2.5				2yr outdoor UL compliant BS-5609 certified	
<b>FDD6919N</b>	2.0 mil Matte TC White PET	MP690	a	3.2SCK				5*					2yr outdoor BS-5609 certified	
<b>FED6914</b>	2.0 mil Bright Silver PET	MP690	a	3.2SCK				2.5					UL compliant	
<b>FFD6914N</b>	2.0 mil Matte Silver PET	MP690	a	3.2SCK				2.5					UL compliant	
<b>FGD6914N</b>	2.0 mil Brush Silver PET TC	MP690	a	3.2SCK				2.5					UL compliant	
<b>FJD6914</b>	2.0 mil Reverse Void PET	MP690	a	3.2SCK				2.5					UL compliant	
<b>PJ6914</b>	2.6 mil White PP	MP690	a	3.2SCK				2.5					2yr outdoor BS-5609 certified	
<b>VDG6911</b>	3.4 mil Vinyl	MP690	a	3.2SCK				2.5					2yr outdoor UL compliant BS-5609 certified	
<b>LTC01912</b>	2.0 mil White Gloss Void PET	P293DS	a	50#GLAS					2.5					
<b>LTCNVP50</b>	2.0 mil White Destructible Non-PVC	DA1	a	45#GLAS					2.5					
<b>INDIE<sup>®</sup> Indigo Printable</b>														
<b>ILL2602</b>	INDIE White PP	640AT	a	2.4SCK		5						10		
<b>ISG2602</b>	INDIE Semi-Gloss	640AT	a	2.4SCK		5 / 10								

**APP** Appleton, WI   **COL** Columbus, IN   **KC** Kansas City, MO   **LEM** Lemont, IL   **ONT** Ontario, CA   **SCR** Scranton, PA   **SPB** Spartanburg, SC   **TRO** Troy, OH   **VAN** Vancouver, WA

Notes:  
 a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 r rubber                        Length tolerance +/- 10%  
 SPL Spliceless                Minimum 3" width  
     3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Prime Films</b>														
<b>CPS9002</b>	1.5 mil Clear Polystyrene	710VHP	r	2.4SCK	10	5								
<b>GF9001</b>	2.6 mil White Polystyrene	710VHP	r	2.4SCK		10								
<b>GF9002</b>	2.0 mil Clear Polystyrene	710VHP	r	2.4SCK	10	10			5	5				
<b>PF0102</b>	2.0 mil Clear BOPP	PUREfloat®	a	2.4SCK					10		10			APR certified
<b>PF2602</b>	2.0 mil Clear BOPP	640AT	a	2.4SCK					10					
<b>PF3892-2</b>	2.0 mil Clear BOPP	MP238	a	1.2PET					10		10		10	no-label look
<b>PF7002</b>	2.0 mil Clear BOPP	711VHP	r	2.4SCK	10	10					10			
<b>PF7792-2</b>	2.0 mil Clear BOPP	CHILLAT® FDA	r	1.2PET							10			APR certified
<b>PF7702</b>	2.0 mil Clear BOPP	CHILLAT FDA	r	2.4SCK					10		5 / 10			APR certified
<b>PF7802</b>	2.0 mil Clear BOPP	CHILLAT	r	2.4SCK					10		5 / 10			APR certified
<b>PF7892-2</b>	2.0 mil Clear BOPP	CHILLAT	r	1.2PET							10			APR certified
<b>PF9002-78</b>	2.0 mil Clear BOPP	710VHP	r	2.4SCK	10	10					10			
<b>PF9502</b>	2.0 mil Clear BOPP	ST-95	a	2.4SCK		5					10		5 / 10	APR certified
<b>PF9592-2</b>	2.0 mil Clear BOPP	ST-95	a	1.2PET		10			10					
<b>PJ3802</b>	2.6 mil White BOPP	MP238	a	2.4SCK					10		10			
<b>PJ7002</b>	2.6 mil White BOPP	711VHP	r	2.4SCK	5 / 10	5 / 10	5 / 10		5 / 10	5 / 10	5 / 10		5 / 10	APR certified
<b>PJ7092-2</b>	2.6 mil White BOPP	711VHP	r	1.2PET							10			
<b>PJ0102</b>	2.6 mil White BOPP	PUREfloat	a	2.4SCK					10		10			APR certified
<b>PJ0192-2</b>	2.6 mil White BOPP	PUREfloat	a	1.2PET					10		10			APR certified
<b>PJ7702</b>	2.6 mil White BOPP	CHILLAT FDA	r	2.4SCK	5	10	5 / 10		10	10	10		10	
<b>PJ7792-2</b>	2.6 mil White BOPP	CHILLAT FDA	r	1.2PET	10				10		10			APR certified
<b>PJ7802</b>	2.6 mil White BOPP	CHILLAT	r	2.4SCK	5	10	5 / 10		10	10	10		10	APR certified

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes: Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 a acrylic    Length tolerance +/- 10%  
 r rubber    Minimum 3" width  
 SPL Spliceless    3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments	
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO		VAN
<b>Prime Films Cont.</b>														
PJ7892-2	2.6 mil White BOPP	CHILLAT	r	1.2PET	10				10		10			APR certified
PJ7902	2.6 mil White BOPP	CHILL AT <sup>®</sup> EXTREME	r	2.4SCK		5 / 10								APR certified
PJ9012	2.6 mil White BOPP	710VHP	r	3.2SCK		10					10			
PJ9092-2	2.6 mil White BOPP	710VHP	r	1.2PET							10			
PJ9001	2.6 mil Gloss Polypropylene	710VHP	r	2.4SCK	5 / 10	5 / 10	5 / 10		5 / 10	5 / 10	5 / 10		5 / 10	
PJL2602	2.4 mil White BOPP	640AT	a	2.4SCK	5	10	5		5 / 10		5 / 10		5 / 10	
PJL2692-2	2.4 mil White BOPP	640AT	a	1.2PET					10		5 / 10		5	
PJL7702	2.4 mil White BOPP	CHILL AT FDA	r	2.4SCK	5	10	5 / 10		10	10	10		10	
PJL7792-2	2.4 mil White BOPP	CHILL AT FDA	r	1.2PET	10				10		10			
PJL7802	2.4 mil White BOPP	CHILL AT	r	2.4SCK	5	10	5 / 10		10	10	10		10	APR certified
PJL7892-2	2.4 mil White BOPP	CHILL AT	r	1.2PET	10				10		10			APR certified
PJL9502	2.4 mil White BOPP	ST-95	a	2.4SCK		5 / 10	10				10		5 / 10	APR certified
PJL3892-2	2.4 mil White BOPP	MP238	a	1.2PET					10		10		10	APR certified
PJL9002	2.4 mil White BOPP	710VHP	r	2.4SCK	5 / 10	5 / 10	5 / 10		5 / 10	5 / 10	5 / 10		5 / 10	
PJL9092-2	2.4 mil White BOPP	710VHP	r	1.2PET							10			
PJL9592-2	2.4 mil White BOPP	ST-95	a	1.2PET							10			APR certified
PJL7002	2.4 mil White BOPP	711VHP	r	2.4SCK	10	10	10		10	10	10		10	
PTC1691-2	2.0 mil Clear BOPP	PUREtac <sup>®</sup> CL216	r	1.2PET		5			5					
PTC1692-2	2.0 mil Clear BOPP	PUREtac CL216	r	1.2PET							5			
PTC8291-2	2.0 mil Clear BOPP	ReLatch <sup>®</sup>	a	1.2PET						10				
PTC8891-2	2.0 mil Clear BOPP	MP880	a	1.2PET		5			10					discontinued once inventory is depleted
PTS2602	2.0 mil Chrome BOPP	640AT	a	40#							10			

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
r rubber                        Length tolerance +/- 10%  
SPL Spliceless                Minimum 3" width  
   3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Prime Films Cont.</b>													
PTS3892-2	2.0 mil Chrome BOPP	MP238	a	1.2PET					10		10		
PTS7702	2.0 mil Chrome BOPP	CHILLAT® FDA	r	2.4SCK		5 / 10	5		10				
PTS7802	2.0 mil Chrome BOPP	CHILL AT	r	2.4SCK		5 / 10	5		10				
PTS7891-2	2.0 mil Chrome BOPP	CHILL AT	r	1.2PET						10			
PTS1692-2	2.0 mil Chrome BOPP	PUREtac CL216	r	1.2PET		5 / 10							
PTS9502	2.0 mil Chrome BOPP	ST-95	a	2.4SCK		10			10		10		
PTS9592-2	2.0 mil Chrome BOPP	ST-95	a	1.2PET							10		
PTW1692-2	2.3 mil White BOPP	PUREtac® CL216	r	1.2PET		5			5		5		
PTW2602	2.3 mil White BOPP	640AT	a	2.4SCK					10		10		
PTW7002	2.3 mil White BOPP	711VHP	r	2.4SCK		5							
PTW7702	2.3 mil White BOPP	CHILLAT® FDA	r	2.4SCK		10							
PTW7802	2.3 mil White BOPP	CHILLAT	r	2.4SCK		10							
PTW8291-2	2.3 mil White BOPP	ReLatch®	a	1.2PET						10			
PTW8891-2	2.3 mil White BOPP	MP880	a	1.2PET		10			10				
PTW9002	2.3 mil White BOPP	710VHP	r	2.4SCK		5 / 10							
PTW9592-2	2.3 mil White BOPP	ST-95	a	1.2PET					10		10		APR certified
SWP9592-2	2.2 mil White Squeeze BOPP	ST-95	a	1.2PET							10		APR certified
SWP8891-2	2.2 mil White Squeeze BOPP	MP880	a	1.2PET						10			discontinued once inventory is depleted
SWP9501	2.2 mil White Squeeze BOPP	ST-95	a	2.4SCK		5							APR certified

<b>Prime Papers</b>												
AC2602	60# Semi-Gloss	640AT	a	2.4SCK	5 / SPL 5 / 10				10			5 / SPL 5 / 10 / SPL 10
AC2692	60# Semi-Gloss Opaque	640AT	a	2.4SCK					5			
AC4502	60# Semi-Gloss	705VHP	r	2.4SCK		5						5

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 r rubber                        Length tolerance +/- 10%  
 SPL Spliceless                Minimum 3" width  
    3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Prime Papers Cont.</b>														
AC5102	60# Semi-Gloss	HR-51	a	2.4SCK		5 / 10								
AC7002	60# Semi-Gloss	711VHP	r	2.4SCK	5 / 10	5 / 10	5 / 10		5 / 10	5 / 10			5 / 10	
AC7202	60# Semi-Gloss	711HCW	r	2.4SCK		5								
AC7802	60# Semi-Gloss	CHILLAT	r	2.4SCK						5 / 10				
AC8402	60# Semi-Gloss	MR840	a	2.4SCK		5								
AC8602	60# Semi-Gloss	MR860	a	2.4SCK			5 / 10							
AC9005	60# Semi-Gloss	710VHP	r	2.4SCK	5 / SPL 5 / 10 / SPL 10	5 / SPL 5 / 10 / SPL 10	5 / SPL 5 / 10 / SPL 10		5 / 10 / SPL 10	5 / SPL 5 / 10 / SPL 10			5 / 10	
AC9502	60# Semi-Gloss	ST-95	a	2.4SCK							5		5	
AC9512LF	60# Semi-Gloss	ST-95	a	3.2SCKLF		10* / 15*								
AI9502	Tag	ST-95	a	2.4SCK					5					
AJC9002	Chartreuse Fluorescent	710VHP	r	2.4SCK		3								
AJG9002	Green Fluorescent	710VHP	r	2.4SCK		3 / 5								
AJO9002	Orange Fluorescent	710VHP	r	2.4SCK		5	3							
AJR9002	Red Fluorescent	710VHP	r	2.4SCK		3 / 5							5	
AJP9002	Pink Fluorescent	710VHP	r	2.4SCK		3								
AP9002	Matte Litho	710VHP	r	2.4SCK			5		5					
CHG2602	Cast High Gloss	640AT	a	2.4SCK						5			5	
CHG7002	Cast High Gloss	711VHP	r	2.4SCK		5	5		5					
CHG9002	Cast High Gloss	710VHP	r	2.4SCK		5	5		5					
DLA7072	Dairy Label	711VHP	r	2.5NK					10	10	10		10	
DLA7102	Dairy Label	710DL	r	2.4SCK	10		10		10	10				
DLA7172	Dairy Label	710DL	r	2.5NK		10			5 / 10	10	10		10	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 r rubber                        Length tolerance +/- 10%  
 SPL Spliceless                Minimum 3" width  
    3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Prime Papers Cont.</b>													
DLA7772	Dairy Label	HCW710DL	r	2.5NK						10			
DLA7192-0	Dairy Label	710DL	r	1.0PET						10			
PLD2602	50# Semi-Gloss	640AT	a	2.4SCK		10							10
PLD2692-2	50# Semi-Gloss	640AT	a	1.2PET						5 / 10			
PLD7002	50# Semi-Gloss	711VHP	r	2.4SCK			5		5 / 10		10		
PLD9001	50# Semi-Gloss	710VHP	r	2.4SCK			5		5 / 10 / SPL 10		10		
SGL2602	55# Semi-Gloss	640AT	a	2.4SCK	SPL 10		5 / 10		10	10			10
SGL2692-2	55# Semi-Gloss	640AT	a	1.2PET		10			10		10		
SGL7002	55# Semi-Gloss	711VHP	r	2.4SCK		5 / 10	10		5 / 10	10			10
SGL7092-2	55# Semi-Gloss	711VHP	r	1.2PET						10			
SGL7702	55# Semi-Gloss	CHILLAT <sup>®</sup> FDA	r	2.4SCK	10		5 / 10		10	10	10		5 / 10
SGL7792-2	55# Semi-Gloss	CHILLAT FDA	r	1.2PET						10			
SGL7802	55# Semi-Gloss	CHILLAT	r	2.4SCK	10		5 / 10		10	10	10		5 / 10 / SPL 10
SGL7852-7	55# Semi-Gloss	CHILLAT	r			10							
SGL7892-2	55# Semi-Gloss	CHILLAT	r	1.2PET					10	10			
SGL7902	55# Semi-Gloss	CHILLAT EXTREME	r	2.4SCK		10							
SGL9002	55# Semi-Gloss	710VHP	r	2.4SCK	10	5 / 10 / SPL 10	5 / 10		5 / 10	10 / SPL 10			10
SGL9092-2	55# Semi-Gloss	710VHP	r	1.2PET						10			
SGL9502	55# Semi-Gloss	ST-95	a	2.4SCK							10		
SGL9512LF	55# Semi-Gloss	ST-95	a	3.2SCKLF		15*							
SGL9592-2	55# Semi-Gloss	ST-95	a	1.2PET							10		

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
r rubber                        Length tolerance +/- 10%  
SPL Spliceless                Minimum 3" width  
   3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Prime Papers Cont.</b>													
<b>SGW7802</b>	54# Wet Strength SG	CHILLAT	r	2.4SCK		5 / 10							
<b>SMP7802</b>	Bright Silver Metallic Paper	CHILLAT	r	2.4SCK	5								
<b>SMP9002</b>	Bright Silver Metallic Paper	710VHP	r	2.4SCK	5			10					
<b>UVS7802</b>	53# UV Inkjet	CHILLAT	r	2.4SCK						5			
<b>WG9002</b>	White Gold®	710VHP	r	2.4SCK						5			
<b>Laser and EDP</b>													
<b>EDP9012</b>	50# EDP	710VHP	r	3.2SCK			5 / 10			10			
<b>EDP9512</b>	50# EDP	ST-95	a	3.2SCK		10 / SPL 10 15						10 / SPL 10	
<b>JG1801</b>	Gloss Inkjet Paper	MP-910	a	2.45 Kraft LF								5*	
<b>JM1802</b>	MACjet Matte Inkjet	MP-910	a	2.45SCKLF		5*							
<b>JMP9501</b>	3.5 mil White Matte PP Inkjet	ST-95	a	2.4SCK		5							
<b>JWP9501</b>	3.5 mil White Gloss PP Inkjet	ST-95	a	2.4SCK		5							
<b>JSG9002</b>	60# Semi-Gloss Inkjet	710VHP	r	2.4SCK			10						
<b>LAS1812</b>	50# Premium Laser	MP-910	a	3.2CCKLF	10*	10*	10*		10* / SPL 10*		10*		
<b>LAS1812RX</b>	50# Premium Laser	MP-910	a	3.2SCKLF							10*		
<b>LAS1813</b>	50# Premium Laser	MP-910	a	3.2CCKLF		10							
<b>LAS1813RX</b>	50# Premium Laser	MP-910	a	3.2SCKLF							10		
<b>LAS2612</b>	MACcopy® AT	640AT	a	3.2CCKLF	10*								
<b>LAS8612</b>	50# Premium Laser	MR860	a	3.2CCKLF			10*						
<b>LAS9512</b>	MACcopy Std.	ST-95	a	3.2CCKLF			10*						

**APP** Appleton, WI   **COL** Columbus, IN   **KC** Kansas City, MO   **LEM** Lemont, IL   **ONT** Ontario, CA   **SCR** Scranton, PA   **SPB** Spartanburg, SC   **TRO** Troy, OH   **VAN** Vancouver, WA

Notes:  
a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
r rubber                        Length tolerance +/- 10%  
SPL Spliceless                Minimum 3" width  
   3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Direct Thermal</b>														
<b>DTNN1702NB</b>	NTC No Added Bishpenol Direct Thermal	InFusion®	r	2.4SCK	10						10			
<b>DTNN1752NB-7</b>	NTC No Added Bishpenol Direct Thermal	InFusion	r	2.4SCK		10								
<b>DTNN2602NB</b>	NTC No Added Bishpenol Direct Thermal	640AT	a	2.4SCK	10		10		10		10		10	
<b>DTNN2652NB-7</b>	NTC No Added Bishpenol Direct Thermal	640AT	a	2.4SCK		10								
<b>DTNN7802NB</b>	NTC No Added Bishpenol Direct Thermal	CHILLAT®	r	2.4SCK	10	10							10	
<b>DTNN7852NB</b>	NTC No Added Bishpenol Direct Thermal	CHILLAT	r	2.4SCK		10								
<b>DTNN9502NB</b>	NTC No Added Bishpenol Direct Thermal	ST-95	a	2.4SCK		10 / SPL 10							10	
<b>DLTL1702</b>	Optimal Performance DT	InFusion	r	2.4SCK						10			<b>NEW</b>	
<b>DLTL9502</b>	FSC Optimal Performance DT	ST-95	a	2.4SCK		10							<b>NEW</b>	
<b>DLTL2602</b>	Optimal Performance DT	640AT	a	2.4SCK		10							<b>NEW</b>	
<b>DLTL7802</b>	Optimal Performance DT	CHILL AT	r	2.4SCK						10			<b>NEW</b>	
<b>DTW1702NB</b>	Direct Thermal Weigh Scale	InFusion	r	2.4SCK	10					10				
<b>DTW2601</b>	Direct Thermal Weigh Scale	640AT	a	2.4SCK			10		10	10			10 / SPL 10	
<b>DTW7702NB</b>	Direct Thermal Weigh Scale	CHILLAT® FDA	r	2.4SCK	10		5 / 10		10		10		10	
<b>DTW7802NB</b>	Direct Thermal Weigh Scale	CHILLAT	r	2.4SCK	10		5 / 10		10		10		10	
<b>DTW7902NB</b>	Direct Thermal Weigh Scale	CHILLAT EXTREME	r	2.4SCK			10							
<b>DTW9502NB</b>	Direct Thermal	ST-95	a	2.4SCK							10			

**APP** Appleton, WI   **COL** Columbus, IN   **KC** Kansas City, MO   **LEM** Lemont, IL   **ONT** Ontario, CA   **SCR** Scranton, PA   **SPB** Spartanburg, SC   **TRO** Troy, OH   **VAN** Vancouver, WA

Notes:  
 a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 r rubber                        Length tolerance +/- 10%  
 SPL Spliceless                Minimum 3" width  
    3" core standard | \* 6" core




Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Direct Thermal Cont.</b>														
DTM8602	TC Direct Thermal	MR860	a	2.4SCK		5								
DTM9502NB	TC Direct Thermal	ST-95	a	2.4SCK	5 / 10		5 / 10 / SPL 10		10 / SPL 10	10 / SPL 10	10			
DTM9502PBNB	TC Direct Thermal	ST-95/ ST-95	a a	2.4SCK/ 2.4SCK		2.5								piggyback
DTM9502TRNB	TC Direct Thermal	ST-95	a	2.4SCKTR			10							
DTM9602NB	TC Direct Thermal	XT100	a	2.4SCK		5 / 10								
DTM9902NB	TC Direct Thermal	XT99	a	2.4SCK				10						
TCDT1702	TC Direct Thermal	InFusion <sup>®</sup>	r	2.4SCK						5 / 10			10 / SPL 10	
TCDT2602	TC Direct Thermal	640AT	a	2.4SCK		5 / 10 / SPL 10	10						10 / SPL 10	
TCDT5102	TC Direct Thermal	HR-51	a	2.4SCK		10	5 / 10							
TCDT7002	TC Direct Thermal	711VHP	r	2.4SCK						10			10	
DTL9502	TC Direct Thermal	ST-95	a	2.4SCK	10				10					
DTL9552-7	TC Direct Thermal	ST-95	a	<sup>75/100</sup> hi-impact <sup>®</sup>		10								
DTR9551	Direct Thermal	ST-95	a	2.4SCK		5 / 10								
DTR9902	Direct Thermal Weigh Scale	XT99	a	2.4SCK		10								
DDRX9502	MACscript™ 2	ST-95	a	2.4SCK		10	10							no phenols added
DBH2601	3.0 mil Direct Thermal Film	640AT	a	2.4SCK		5 / 10	5 / 10							
DBH9501	3.0 mil Direct Thermal Film	ST-95	a	2.4SCK	10	5					10			
DPI2601	3.0 mil Direct Thermal Film	640AT	a	2.4SCK		10	10							
DPI9501	3.0 mil Direct Thermal Film	ST-95	a	2.4SCK	10						10			
DPT7902	4.2 mil Direct Thermal Film	CHILLAT <sup>®</sup> EXTREME	r	2.4SCK		10							10	
DTJ9502	High Sensitivity Direct Thermal	ST-95	a	2.4SCK		5 / 10								

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
a acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
r rubber                        Length tolerance +/- 10%  
SPL Spliceless                Minimum 3" width  
   3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Thermal Transfer</b>														
DSS4501	Durascan® S Thermal Transfer Film	705VHP	r	2.4SCK		5							2 yr outdoor / BS-5609 certified	
TL1701	Durascan L Thermal Transfer Film	InFusion®	r	2.4SCK		5								
TL2601	Durascan L Thermal Transfer Film	640AT	a	2.4SCK		5		5						
TL7802	Durascan L Thermal Transfer Film	CHILLAT®	r	2.4SCK		5								
TL9501	Durascan L Thermal Transfer Film	ST-95	a	2.4SCK		10	5							
TT1702	2C Thermal Transfer	InFusion	r	2.4SCK			10 / SPL 10		5 / 10	5 / 10	5 / 10		10	
TT2602	2C Thermal Transfer	640AT	a	2.4SCK	5	10	10		10		10		10	
TT5102	2C Thermal Transfer	HR51	a	2.4SCK		5 / 10								
TT7802	2C Thermal Transfer	CHILLAT	r	2.4SCK	10	10							10	
TT8602	2C Thermal Transfer	MR860	a	2.4SCK		10								
TT9502	2C Thermal Transfer	ST-95	a	2.4SCK	5 / SPL 5 / 10 / SPL 10	15 / SPL 20	5 / 10 / SPL 10		5 / 10 / SPL 10	5 / 10	10 / 15		10	
TT9552-7	2C Thermal Transfer	ST-95	a			10								
TT9592	2C Thermal Transfer Opaque	ST-95	a	2.4SCK		5					10			
TT9602	2C Thermal Transfer	XT100	a	2.4SCK		5 / 10								
TTL9302	OPTISCAN® L	MP930	a	2.4SCK		10								

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes: Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 a acrylic    Length tolerance +/- 10%  
 r rubber    Minimum 3" width  
 SPL Spliceless    3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments	
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO		VAN
<b>Semi Gloss</b>														
47538	40# Semi Gloss	BP-52	a	40#								5 / 10		pharmaceutical
47539	40# Semi Gloss	BC-20™	r	40#					5 / 10			5 / 10		
48036	40# Semi Gloss	FC-125	r	40#					2.5 / 5 / 10			2.5 / 5 / 10		direct food contact
49535	60# Semi Gloss	ATP™	a	40#				5 / 10				5 / 10		
49834	60# Semi Gloss	Frostbite™	r	40#				5 / 10	5 / 10			5 / 10		freezer
42004	54# Primeglos	SC-21	r	40#								2.5 / 5 / 10		
48573	58# Primeglos	BP-164	r	50#								2.5 / 5 / 10		
48561	58# Primeglos	BP-52	a	40#								5 / 10		
48584	58# Primeglos	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
49340	58# Primeglos	XYZ™	a	40#								2.5 / 5 / 10		
48575	58# Primeglos	LiftOff™	r,R	40#								2.5 / 5		
48571	58# Primeglos	GripTight™	r,H	40#								2.5 / 5 / 10		
48572	58# Primeglos	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		textured surface
48560	58# Primeglos	B-91	a,R	40#								2.5 / 5 / 10		
48562	58# Primeglos	GPR™	a,R	40#								2.5 / 5 / 10		
42241	Semi Gloss Layflat	BP-52	a	3.2LF					5* / 10*			5* / 10*		laser / archival
43598	Semi Gloss Layflat	HTR-1	a,R	3.2LF								5* / 10*		laser / archival

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>High Gloss</b>														
43578	High Gloss	B-82	r	40#				5				5		
43523	High Gloss	BP-164	r	40#				5				5		
43575	High Gloss	BC-20™	r	40#								5 / 10		
43576	High Gloss	ATP™	a	40#				2.5 / 5	2.5 / 5			2.5 / 5		
<b>Matte</b>														
49221	Ultra Matte™ Litho	4LZ™	a	3.2LF								2.5* / 5* / 10*		
43168	Ultra Matte Litho	B-82	r	40#								5		
41744	Ultra Matte Litho	BP-164	r	40#								2.5 / 5 / 10		
41668	Ultra Matte Litho	SC-21	r	40#								2.5 / 5 / 10		
41831	Ultra Matte Litho	ATP	a	50#								2.5 / 5 / 10		
41721	Ultra Matte Litho	B-92	a,R	40#								5		
<b>Tag</b>														
28809	8pt C1S Tag											5 / 10		ungummed
46532	8pt C1S Tag	BP-164	r	40#				2.5 / 5				2.5 / 5		
<b>Colors</b>														
49742	60# Chartreuse Fluorescent	SC-21	r	40#								2.5 / 5 / 10		
49740	60# Green Fluorescent	SC-21	r	40#								2.5 / 5 / 10		
49739	60# Orange Fluorescent	SC-21	r	40#								2.5 / 5 / 10		
49738	60# Pink Fluorescent	SC-21	r	40#								2.5 / 5 / 10		
49741	60# Red Fluorescent	SC-21	r	40#								2.5 / 5 / 10		
42818	65# Natural Kraft	BP-164	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		brown kraft

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Metallized Papers / Laminated Foils</b>													
41674	Bright Silver Metallized Paper	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41675	Reverse Coated Bright Silver Metallized Paper	BC-20	r	40#								5	discontinued once inventory is depleted
41779	AC Bright Silver Laminated Foil	BP-164	r	40#				5				2.5 / 5	
41663	AC Bright Silver Laminated Foil	BC-20	r	40#					2.5 / 5			2.5 / 5 / 10	
41664	AC Dull Silver Laminated Foil	BC-20	r	40#					2.5 / 5			2.5 / 5	
41740	AC Bright Gold Laminated Foil	BP-164	r	40#				2.5 / 5				2.5 / 5	
41656	AC Bright Gold Laminated Foil	BC-20	r	40#					2.5 / 5 / 10			2.5 / 5 / 10	
41739	AC Dull Gold Laminated Foil	BP-164	r	40#								2.5 / 5	
AK206	AC Bright Silver Foil	640AT	a	40#								5	
<b>Cover-up</b>													
41738	Covermatte™	BP-164	r	40#								2.5 / 5	
48944	58# Primeglos™ Cover	BP-164	r	40#				2.5 / 5 / 10				2.5 / 5 / 10	
43574	Coverglos™	B-82	r	40#					5			2.5 / 5 / 10	
43522	Coverglos	BP-164	r	40#					2.5 / 5 / 10			2.5 / 5 / 10	
<b>Piggyback</b>													
48579	58# Primeglos Piggyback	BP-52/ BP-52	a	40#/ 50#								2.5 / 5	discontinued once inventory is depleted

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic                      Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 r = rubber                        Length tolerance +/- 10%  
 L = light coat wt.                2,500/5,000 ft. roll minimum 3" width  
 H = heavy coat wt.              10,000 ft. roll minimum 4" width  
 R = Removable                  3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Impact</b>													
43891	50# EDP	ATP™	a	50#								2.5 / 5	
43883	50# EDP	SC-21	r	50#								2.5 / 5 / 10	
<b>Laser</b>													
42241	Semi Gloss Layflat	BP-52	a	3.2LF					5* / 10*			5* / 10*	laser / archival
43598	Semi Gloss Layflat	HTR-1	a,R	3.2LF								5* / 10*	laser / archival
49191	DiversiPrint®	4LZ™	a	3.2LF					2.5* / 5* / 10*			2.5* / 5* / 10*	
4216	DiversiPrint	ATP	a	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	
41404	DiversiPrint	A-ATP	a,L	3.5LF								2.5* / 5* / 10*	Monroney
45087	DiversiPrint	GPR™	a,R	3.2LF					2.5* / 5* / 10*			2.5* / 5* / 10*	discontinued once inventory is depleted
504	DiversiPrint Cover-up	AP-52	a,L	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	
1495	Laser Latex	ATP	a	3.5LF				5* / 10*				5* / 10*	moisture resistant
49221	Ultra Matte™ Litho	4LZ	a	3.2LF								2.5* / 5* / 10*	
<b>Inkjet (Water-based)</b>													
49191	DiversiPrint	4LZ	a	3.2LF					2.5* / 5* / 10*			2.5* / 5* / 10*	
4216	DiversiPrint	ATP	a	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	
41404	DiversiPrint	A-ATP	a,L	3.5LF								2.5* / 5* / 10*	Monroney
45351	DiversiPrint	ATP	a	50#								2.5* / 5* / 10*	
45087	DiversiPrint	GPR	a,R	3.2LF					2.5* / 5* / 10*			2.5* / 5* / 10*	discontinued once inventory is depleted
48909	ENDURA® Inkjet Paper	C-122F™	a,H	50#								2.5* / 5* / 10*	BS-5609 approved
49285	ENDURA Inkjet Paper	XYZ™	a	40#								2.5 / 5 / 10	

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments	
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO		VAN
<b>Inkjet (Water-based) Cont.</b>														
JG1801	Gloss Inkjet Paper	MP-910	a	2.45 Kraft LF								5*		
JG2701	Gloss Inkjet Paper	ATP™	a	40#					2.5 / 5 / 10			2.5 / 5 / 10		
JG3001	Gloss Inkjet Paper	CLD-10	r	40#								5 / 10		
48483	Gloss Inkjet Paper	CLD-10	r	40#								2.5 / 5 / 10		discontinued once inventory is depleted
50276	Premium Matte Inkjet Paper	ATP	a	40#								2.5 / 5 / 10		
45772	Satin Matte Inkjet Paper	ATP	a	40#					2.5 / 5 / 10			2.5 / 5 / 10		
48482	Satin Matte Inkjet Paper	CLD-10	r	40#								2.5 / 5 / 10		
50335	Premium Matte Inkjet Paper Cover-up	ATP	a	40#								2.5 / 5 / 10		
<b>Thermal Transfer</b>														
46155	45# CTT	BC-20™	r	40#								5 / 10		
41666	45# CTT	SC-21	r	40#								2.5 / 5 / 10		
41801	45# CTT	Frostbite™	r	40#				5 / 10				5 / 10		freezer
47578	45# CTT	GripTight™	r,H	40#								2.5 / 5		
42834	45# CTT	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		textured surface
43184	45# CTT	LiftOff™	r,R	40#								2.5 / 5		
45360	45# CTT	GPR™	a,R	40#					5 / 10			5 / 10		
50179	45# CTT	XYZ™	a	50#								2.5 / 5 / 10		
41652	48# CTT	BC-20	r	40#				5 / 10	5 / 10			5 / 10		
41680	55# CTT	BP-52	a	40#								2.5 / 5		
41679	55# CTT	SP-184	a	40#								2.5 / 5		

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Direct Thermal</b>														
45631	ScanTherm™ NTC	A-BC-20™	r,L	40#								2.5 / 5 / 10		
45632	ScanTherm NTC	LiftOff™	r,R	40#								5		
49700	ScanTherm Ultra	XYZ™	a	40#								5 / 10	discontinued once inventory is depleted	
49657NB	ScanTherm Ultra	BC-20	r	40#				5 / 10				5 / 10		
49657	ScanTherm Ultra	BC-20	r	40#								5 / 10	discontinued once inventory is depleted	
49701NB	ScanTherm Ultra	Frostbite™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10				freezer	
49701	ScanTherm Ultra	Frostbite	r	40#				2.5 / 5 / 10	2.5 / 5 / 10				freezer discontinued once inventory is depleted	
47783	ScanTherm Industrial	GripTight™	r,H	40#								2.5 / 5 / 10		
47784	ScanTherm Industrial	SureLock™	r,H	40#								2.5 / 5 / 10	textured surface	
<b>Cover-up</b>														
504	DiversiPrint® Cover-up	AP-52	a,L	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*		
41685	48# CTT Cover-up	BP-52	a	40#				5 / 10				2.5 / 5 / 10		
43080	SafeTE™ C1S Cover-up	BP-164	r	40#								2.5 / 5 / 10	tamper evident	
<b>Piggyback</b>														
49734NB	ScanTherm Ultra Piggyback	BP-52/ BP-52	a	40#/ 40#								5	piggyback	
49734	ScanTherm Ultra Piggyback	BP-52/ BP-52	a	40#/ 40#								5	piggyback discontinued once inventory is depleted	
41808	45# CTT Piggyback	BP-52/ BP-52	a	40#/ 40#								2.5 / 5	piggyback	
<b>Latex</b>														
1495	Laser Latex	ATP™	a	3.5LF				5* / 10*				5* / 10*	moisture resistant	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments	
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO		VAN
<b>Other</b>														
41404	DiversiPrint	A-ATP	a,L	3.5LF								2.5* / 5* / 10*		Monroneey
42818	65# Natural Kraft	BP-164	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		brown kraft
41675	Reverse Coated Bright Silver Metallized Paper	BC-20	r	40#								5		discontinued once inventory is depleted
50223	50# Liner Transfer Tape	MP376	a	40#								2.5 / 5 / 10		
43044	SafeTE C1S	BP-164	r	40#				2.5 / 5 / 10				2.5 / 5 / 10		tamper evident
43080	SafeTE C1S Cover-up	BP-164	r	40#								2.5 / 5 / 10		tamper evident

**APP** Appleton, WI   **COL** Columbus, IN   **KC** Kansas City, MO   **LEM** Lemont, IL   **ONT** Ontario, CA   **SCR** Scranton, PA   **SPB** Spartanburg, SC   **TRO** Troy, OH   **VAN** Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Polypropylene</b>													
41918	2.0 mil TC Clear Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
49220	2.0 mil TC Clear Polypropylene	SFA™	a	40# Brown								2.5 / 5 / 10	
49098	2.0 mil TC Clear Polypropylene	SFA	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49237	2.0 mil TC Clear Polypropylene	SFA	a	72#								2.5* / 5*	
44243	2.0 mil TC Clear Polypropylene	BC-20™	r	40# Brown								2.5 / 5 / 10	
41869	2.0 mil TC Clear Polypropylene	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41953	2.0 mil TC Clear Polypropylene	B-122F™	a	50#								2.5 / 5 / 10	
1477	2.0 mil TC Clear Polypropylene	B-122F	a	44#PK								5	
41951	2.0 mil TC Clear Polypropylene	Frostbite™	r	40#				5 / 10				5 / 10	freezer
44072	2.0 mil TC Clear Polypropylene	SureLock™	r,H	40#								5 / 10	textured surface
41957	2.0 mil TC Clear Polypropylene	B-91	a,R	40#								2.5 / 5	
44953	2.0 mil TC Clear Polypropylene	GPR™	a,R	40#					2.5 / 5			2.5 / 5	
45585	2.0 mil TC Clear Polypropylene	GPR	a,R	72#								5* / 10*	layflat removable
41919	2.3 mil TC White Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
49238	2.3 mil TC White Polypropylene	SFA	a	72#								2.5* / 5* / 10*	
41875	2.3 mil TC White Polypropylene	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41954	2.3 mil TC White Polypropylene	B-122F	a	50#				5				5	
43455	2.3 mil TC White Polypropylene	Frostbite	r	40#								5 / 10	freezer
45089	2.3 mil TC White Polypropylene	GPR	a,R	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Polypropylene Cont.</b>													
42882	2.6 mil TC White Label-Lyte	AmpClamp™	r,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	battery label discontinued once inventory is depleted
46953	2.6 mil TC White Label-Lyte	GripTight™	r,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	discontinued once inventory is depleted
49078	2.6 mil White Pearlized BOPP	Frostbite™	r	40#				5 / 10	2.5 / 5 / 10			5 / 10	freezer
49079	2.6 mil White Pearlized BOPP	LiftOff™	r,R	40#								5	
49051	2.6 mil White Pearlized BOPP	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49299	2.6 mil White Pearlized BOPP	SFA™	a	40#					5 / 10			5 / 10	
50266	2.6 mil White Pearlized BOPP Cover	BP-164	r	40#								5 / 10	
49234	2.0 mil PTC Bright Silver Metallized BOPP	SFA	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
42340	2.0 mil PTC Bright Silver Metallized BOPP	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	craft beverage
41890	2.0 mil PTC Bright Silver Metallized BOPP	B-122F	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41903	2.3 mil TC White Metallized BOPP	BP-164	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	cover / barrier
49190	2.3 mil TC White Metallized BOPP	SFA	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
41893	2.3 mil TC White Skweeze™ Polyprop.	B-122F	a	40#					5			2.5 / 5	full squeeze

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Polystyrene</b>													
41880	1.5 mil Transparent Polystyrene	BC-20™	r	40#				5 / 10				5 / 10	
41899	1.5 mil Transparent Polystyrene	B-122F™	a	40#								5 / 10	
42097	2.0 mil Transparent Polystyrene	BP-164	r	40#								2.5 / 5 / 10	
41900	2.0 mil Transparent Polystyrene	B-122F	a	40#								5 / 10	
<b>Polyester</b>													
50302	2.0 mil Matte Silver Polyester	SFA™	a	50#								2.5 / 5	
50283	2.0 mil TC Gloss White Polyester	SFA	a	50#								2.5 / 5 / 10	
50285	2.0 mil TC Gloss White Polyester	B-122F	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
50249	2.0 mil Matte White Polyester	BP-52	a	3.5 mil				2.5 / 5 / 10				2.5 / 5 / 10	BS-5609 certified
50286	2.0 mil TC Gloss White Laser Polyester	4LZ™	a	3.5 mil								2.5* / 5* / 10*	
50250	2.0 mil TC Gloss Clear Laser Polyester	4LZ	a	3.5 mil								2.5* / 5* / 10*	
50287	SafeTE™ White Void Polyester	SFA	a	50#								2.5 / 5	
50251	SafeTE Silver Void Polyester	SFA	a	50#				2.5 / 5				2.5 / 5	
<b>Cover-up</b>													
41903	2.3 mil TC White Metallized BOPP	BP-164	r	40#				2.5 / 5 / 10	2.5 / 5			2.5 / 5 / 10	cover / barrier
49190	2.3 mil TC White Metallized BOPP	SFA	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
48857	PrimeScan® Cover	BP-164	r	40#								2.5 / 5	
50266	2.6 mil White Pearlized BOPP Cover	BP-164	r	40#								5 / 10	
43158	SafeTE Cover-up TC Film	B-82	r	50#								2.5 / 5	tamper evident

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Inkjet (Water-based)</b>													
48613	Gloss White Inkjet PP	B-122F™	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
49202	Gloss White Inkjet PP	GPR™	a,R	40#								2.5 / 5 / 10	
49206	Gloss White Inkjet PP	CLD-10	a	40#								2.5 / 5 / 10	
48614	Gloss Clear Inkjet PP	B-122F	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
49691	4.0 mil Matte White PP	SFA™	a	40#								2.5 / 5 / 10	
50205	4.5 mil Matte White Inkjet PP	SFA	a	50#				2.5 / 5 / 10				2.5 / 5 / 10	BS-5609 certified
<b>Laser</b>													
50286	2.0 mil TC Gloss White Laser Polyester	4LZ™	a	3.5 mil								2.5* / 5* / 10*	
50250	2.0 mil TC Gloss Clear Laser Polyester	4LZ	a	3.5 mil								2.5* / 5* / 10*	
50249	2.0 mil Matte White Polyester	BP-52	a	3.5 mil				2.5 / 5 / 10				2.5 / 5 / 10	BS-5609 certified
50263	3.2 mil White Laser Vinyl	PRM-650	a	72#								2.5* / 5* / 10*	
45853	3.5 mil TC Matte White Laser Vinyl	PRM-550	a	72#				2.5* / 5*				2.5* / 5*	discontinued once inventory is depleted
50142	3.2 mil TC Matte White Laser Vinyl	RSM-95	a,R	72#								2.5* / 5*	
45115	Laser Vinyl Drum Label	PDL-09	a	72#				2.5* / 5* / 10*				2.5* / 5* / 10*	BS-5609 certified
<b>Impact</b>													
49192	PrimeScan®	SFA	a	40#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10	BS-5609 certified
49236	PrimeScan	SFA	a	72#								5*	
41879	PrimeScan	BC-20™	r	40#			2.5 / 5 / 10	5 / 10				2.5 / 5 / 10	
41944	PrimeScan	BC-20	r	50#			2.5 / 5 / 10					2.5 / 5 / 10	
45682	PrimeScan	B-122F	a	40#								2.5 / 5 / 10	
41911	PrimeScan	B-122F	a	50#				5 / 10				5 / 10	
1470	PrimeScan	B-122F	a	44# PK								2.5 / 5 / 10	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Impact Cont.</b>													
41912	PrimeScan®	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
46957	PrimeScan	GripTight™	r,H	40#								2.5 / 5	
42693	PrimeScan	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	textured surface
41927	PrimeScan	B-91	a,R	40#								5	
48857	PrimeScan Cover	BP-164	r	40#								2.5 / 5	
49698	PrimeScan Cover	B-82	r	40#								5	
41878	PrimeScan 90	BC-20™	r	40#								2.5 / 5 / 10	BS-5609 certified
49690	PrimeScan 90	BP-164	r	50#								5 / 10	
41910	PrimeScan 90	C-122F	a,H	50#				2.5 / 5 / 10				2.5 / 5 / 10	
49189	3.3 mil Durable Polypropylene	SFA™	a	40#				5 / 10				5 / 10	BS-5609 certified
41896	3.3 mil Durable Polypropylene	B-122F	a	40#								2.5 / 5 / 10	2-year outdoor
41909	3.3 mil Durable Polypropylene	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	2-year outdoor BS-5609 certified
46956	3.3 mil Durable Polypropylene	GripTight	r,H	40#								5	
42555	3.3 mil Durable Polypropylene	SureLock	r,H	40#								2.5 / 5 / 10	textured surface
41901	Kimdura 70	B-122F	a	40#				5 / 10				5 / 10	
41913	Kimdura 70	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	BS-5609 certified
43145	Smudgeproof Kimdura FPG-80	B-82	r	50#				5				5	
41883	Smudgeproof Kimdura FPG-80	BP-164	r	50#				2.5 / 5				2.5 / 5	
41915	Smudgeproof Kimdura FPG-80	C-122F	a,H	50#				5 / 10				5 / 10	BS-5609 certified
41928	Smudgeproof Kimdura FPG-80	B-91	a,R	50#								5	
41926	Smudgeproof Kimdura FPG-80	B-92	a,R	50#								5	

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Thermal Transfer</b>													
49078	2.6 mil White Pearlized BOPP	Frostbite™	r	40#				5 / 10	2.5 / 5 / 10			5 / 10	freezer
49079	2.6 mil White Pearlized BOPP	LiftOff™	r,R	40#								5	
49051	2.6 mil White Pearlized BOPP	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49299	2.6 mil White Pearlized BOPP	SFA™	a	40#					5 / 10			5 / 10	
50266	2.6 mil White Pearlized BOPP Cover	BP-164										5 / 10	
47085	3.0 mil Ultra Matte™ Polypropylene	B-122F™	a	40#				2.5 / 5 / 10				2.5 / 5 / 10 / 15	
48335	3.0 mil Ultra Matte Polypropylene	B-122F	a	50#				5 / 10				5 / 10	
48277	3.0 mil Ultra Matte Polypropylene	BP-52	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
49229	3.0 mil Ultra Matte Polypropylene	SFA	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
48334	3.0 mil Ultra Matte Polypropylene	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
43514	3.0 mil TC Matte White Polypropylene	BP-164	r	40#				5 / 10				5 / 10	
42866	3.0 mil TC Matte White Polypropylene	SC-21	r	40#								2.5 / 5 / 10	
41895	3.0 mil TC Matte White Polypropylene	B-122F	a	40#								5	
41908	3.0 mil TC Matte White Polypropylene	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	BS-5609 certified
41889	3.0 mil TC Matte White Polypropylene	Frostbite	r	40#								5 / 10	freezer
45090	3.0 mil TC Matte White Polypropylene	GPR™	a,R	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41923	3.0 mil TC Matte White Polypropylene	B-92	a,R	50#				5 / 10				5 / 10	
49232	4.0 mil TC Matte White Polypropylene	SFA	a	40#								5 / 10	
49192	PrimeScan®	SFA	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	BS-5609 certified
49236	PrimeScan	SFA	a	72#								5*	
41879	PrimeScan	BC-20	r	40#				2.5 / 5 / 10	5 / 10			2.5 / 5 / 10	
41944	PrimeScan	BC-20	r	50#				2.5 / 5 / 10				2.5 / 5 / 10	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Thermal Transfer Cont.</b>														
45682	PrimeScan®	B-122F™	a	40#								2.5 / 5 / 10		
41911	PrimeScan	B-122F	a	50#					5 / 10			5 / 10		
1470	PrimeScan	B-122F	a	44# PK								2.5 / 5 / 10		
41912	PrimeScan	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
46957	PrimeScan	GripTight™	r,H	40#								2.5 / 5		
42693	PrimeScan	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	textured surface	
41927	PrimeScan	B-91	a,R	40#								5		
48857	PrimeScan Cover	BP-164	r	40#								2.5 / 5		
41878	PrimeScan 90	BC-20™	r	40#								2.5 / 5 / 10	BS-5609 certified	
41910	PrimeScan 90	C-122F	a,H	50#				2.5 / 5 / 10				2.5 / 5 / 10	BS-5609 certified	
49189	3.3 mil Durable Polypropylene	SFA™	a	40#				5 / 10				5 / 10		
41896	3.3 mil Durable Polypropylene	B-122F	a	40#								2.5 / 5 / 10	2-year outdoor	
41909	3.3 mil Durable Polypropylene	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	2-year outdoor BS-5609 certified	
46956	3.3 mil Durable Polypropylene	GripTight	r,H	40#								5		
42555	3.3 mil Durable Polypropylene	SureLock	r,H	40#								2.5 / 5 / 10	textured surface	
41901	Kimdura 70	B-122F	a	40#				5 / 10				5 / 10		
41913	Kimdura 70	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
43145	Smudgeproof Kimdura FPG-80	B-82	r	50#				5				5		
41883	Smudgeproof Kimdura FPG-80	BP-164	r	50#				2.5 / 5				2.5 / 5		
41915	Smudgeproof Kimdura FPG-80	C-122F	a,H	50#				5 / 10				5 / 10		
41928	Smudgeproof Kimdura FPG-80	B-91	a,R	50#								5		
41926	Smudgeproof Kimdura FPG-80	B-92	a,R	50#								5		

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Thermal Transfer Cont.</b>														
50283	2.0 mil TC Gloss White Polyester	SFA™	a	50#								2.5 / 5 / 10		
50285	2.0 mil TC Gloss White Polyester	B-122F™	a	40#				2.5 / 5 / 10				2.5 / 5 / 10		
50302	2.0 mil Matte Silver Polyester	SFA	a	50#								2.5 / 5 / 10		
<b>Direct Thermal</b>														
49233	2.9 mil ScanTherm-Poly™	SFA	a	40#								5 / 10		
48443	2.9 mil ScanTherm-Poly	B-122F	a	50#			5 / 10	5 / 10				5 / 10		
48445	2.9 mil ScanTherm-Poly	B-92	a,R	40#								5 / 10		
48442	2.9 mil ScanTherm-Poly	BC-20™	r	40#								5 / 10		
46542	ScanTherm-Poly 4.0	Frostbite™	r	40#								5 / 10	freezer	
48713	ScanTherm-Poly 4.0	BC-20	r	40#			5 / 10					5 / 10		
<b>Specialty</b>														
50322	2.0 mil Rainbow Holographic Polyprop.	SFA	a	40#				2.5 / 5				2.5 / 5		
42882	2.6 mil TC White Label-Lyte	AmpClamp™	r,H	50#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10	battery label discontinued once inventory is depleted	
49234	2.0 mil PTC Bright Silver Metallized BOPP	SFA	a	40#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10		
42340	2.0 mil PTC Bright Silver Metallized BOPP	BC-20	r	40#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10	craft beverage	
41890	2.0 mil PTC Bright Silver Metallized BOPP	B-122F	a	40#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10		
41903	2.3 mil TC White Metallized BOPP	BP-164	r	40#			2.5 / 5 / 10	2.5 / 5 / 10				2.5 / 5 / 10	cover / barrier	
49190	2.3 mil TC White Metallized BOPP	SFA	a	40#				2.5 / 5 / 10				2.5 / 5		
41893	2.3 mil TC White Skweeze™ Polyprop.	B-122F	a	40#				5				2.5 / 5	full squeeze	
48857	PrimeScan® Cover	BP-164	r	40#								2.5 / 5		
50266	2.6 mil White Pearlized BOPP Cover	BP-164	r	40#								5 / 10		

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Specialty Cont.</b>														
41925	SafeTE™ Synthetic	BP-164	r	40#				2.5 / 5	2.5 / 5			2.5 / 5		tamper evident
50287	SafeTE White Void Polyester	SFA™	a	50#					2.5 / 5			2.5 / 5		tamper evident
50251	SafeTE Silver Void Polyester	SFA	a	50#					2.5 / 5			2.5 / 5		tamper evident
LTC02573	2.0 mil Matte Silver Void	PAT1	a	50# GLAS				2.5	2.5					
49945	SafeTE Clear Void	PAT1	a	60# Blue								2		
49946	SafeTE NT Red Void	VR	a,R	60# Blue								2		
43158	SafeTE Cover-up TC Film	B-82	r	50#								2.5 / 5		tamper evident
50302	2.0 mil Matte Silver Polyester	SFA	a	50#								2.5 / 5 / 10		
FED4954	2.0 mil Bright Silver PET	PAT1	a	45# GLAS				2.5	2.5					
FFD4954	2.0 mil Chem Matte Silver PET	PAT1	a	45# GLAS				2.5	2.5					
41916	Tyvek® 1073-D	B-122F™	a	50#				2.5 / 5 /	2.5 / 5 / 10			2.5 / 5 / 10		
49943	2.2 mil White Laser Polyester	Cryogenic	a	63# Kraft								2		
49944	2.0 mil Gloss White Polyester	Oil Tolerant	a	45# Blue								2		
FAD4954	2.0 mil Gloss Clear PET	PAT1	a	45# GLAS				2.5	2.5					

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Spinnaker's Cascade™ waterbased inkjet papers and films provide exceptional print quality for a variety of applications, while allowing you to take advantage of the short-run, quick-turn capabilities that help you grow your business.



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Papers</b>													
49191	DiversiPrint®	4LZ™	a	3.2LF					2.5* / 5* / 10*			2.5* / 5* / 10*	
4216	DiversiPrint	ATP™	a	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	
41404	DiversiPrint	A-ATP	a,L	3.5LF								2.5* / 5* / 10*	Monroney
45351	DiversiPrint	ATP	a	50#								2.5 / 5 / 10	
45087	DiversiPrint	GPR™	a,R	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	discontinued once inventory is depleted
504	DiversiPrint Cover-up	AP-52	a,L	3.2LF				2.5* / 5* / 10*				2.5* / 5* / 10*	
48909	ENDURA Inkjet Paper	C-122F™	a,H	50#								2.5 / 5 / 10	BS-5609 approved
49285	ENDURA Inkjet Paper	XYZ™	a	40#								2.5 / 5 / 10	
JG1801	Gloss Inkjet Paper	MP-910	a	2.45 Kraft LF								5*	
JG2701	Gloss Inkjet Paper	ATP	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
JG3001	Gloss Inkjet Paper	CLD-10	r	40#								5 / 10	
48483	Gloss Inkjet Paper	CLD-10	r	40#								2.5 / 5 / 10	discontinued once inventory is depleted
50276	Premium Matte Inkjet Paper	ATP	a	40#								2.5 / 5 / 10	
45772	Satin Matte Inkjet Paper	ATP	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
48482	Satin Matte Inkjet Paper	CLD-10	r	40#								2.5 / 5 / 10	
<b>Digital Films</b>													
48613	Gloss White Inkjet Polypropylene	B-122F™	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
49202	Gloss White Inkjet Polypropylene	GPR	a,R	40#								2.5 / 5 / 10	
49206	Gloss White Inkjet Polypropylene	CLD-10	r	40#								2.5 / 5 / 10	
48614	Gloss Clear Inkjet Polypropylene	B-122F	a	40#				2.5 / 5 / 10				2.5 / 5 / 10	
49691	4.0 mil Matte White Polypropylene	SFA™	a	40#								2.5 / 5 / 10	



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Digital Papers</b>														
49224	Digital Semi Gloss	XYZ™	a	40#								2.5 / 5		
45733	Digital Semi Gloss	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
45737	Digital Semi Gloss	ATP™	a	40#					2.5 / 5 / 10			2.5 / 5 / 10		
43578	High Gloss	B-82	r	40#				5				5		
43523	High Gloss	BP-164	r	40#				5				5		
43575	High Gloss	BC-20	r	40#								5 / 10		
43576	High Gloss	ATP	a	40#				2.5 / 5	2.5 / 5			2.5 / 5		
43574	Coverglos™	B-82	r	40#					2.5 / 5 / 10			2.5 / 5 / 10		
43522	Coverglos	BP-164	r	40#					2.5 / 5 / 10			2.5 / 5 / 10		
43168	Ultra Matte™ Litho	B-82	r	40#								5		
41744	Ultra Matte Litho	BP-164	r	40#								2.5 / 5 / 10		
41668	Ultra Matte Litho	SC-21	r	40#								2.5 / 5 / 10		
41831	Ultra Matte Litho	ATP	a	50#								2.5 / 5 / 10		
41721	Ultra Matte Litho	B-92	a,R	40#								5		
41738	Covermatte™	BP-164	r	40#								2.5 / 5		
41674	Bright Silver Metallized Paper	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
AK2606	AC Bright Silver Foil	640AT	a	40#								5		
41779	AC Bright Silver Laminated Foil	BP-164	r	40#				5				2.5 / 5		
41663	AC Bright Silver Laminated Foil	BC-20	r	40#					2.5 / 5			2.5 / 5 / 10		

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Papers Cont.</b>													
41664	AC Dull Silver Laminated Foil	BC-20™	r	40#					2.5 / 5			2.5 / 5	
41740	AC Bright Gold Laminated Foil	BP-164	r	40#				2.5 / 5				2.5 / 5	
41656	AC Bright Gold Laminated Foil	BC-20	r	40#					2.5 / 5 / 10			2.5 / 5 / 10	
41739	AC Dull Gold Laminated Foil	BP-164	r	40#								2.5 / 5	
43044	SafeTE™ C1S	BP-164	r	40#				2.5 / 5 / 10				2.5 / 5 / 10	
43080	SafeTE C1S Cover-up	BP-164	r	40#								2.5 / 5 / 10	
<b>Digital Films</b>													
41918	2.0 mil TC Clear Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
41869	2.0 mil TC Clear Polypropylene	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
1477	2.0 mil TC Clear Polypropylene	B-122F	a	44#PK								5	
41951	2.0 mil TC Clear Polypropylene	Frostbite™	r	40#				5 / 10				5 / 10	freezer
44072	2.0 mil TC Clear Polypropylene	SureLock™	r,H	40#								5 / 10	textured surface
41957	2.0 mil TC Clear Polypropylene	B-91	a,R	40#								2.5 / 5	
44953	2.0 mil TC Clear Polypropylene	GPR™	a,R	40#					2.5 / 5			2.5 / 5	
45585	2.0 mil TC Clear Polypropylene	GPR	a,R	72#								5* / 10*	layflat removable
41919	2.3 mil TC White Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
49238	2.3 mil TC White Polypropylene	SFA™	a	72#								2.5* / 5* / 10*	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Films Cont.</b>													
41875	2.3 mil TC White Polypropylene	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41954	2.3 mil TC White Polypropylene	B-122F™	a	50#				5	5			5	
43455	2.3 mil TC White Polypropylene	Frostbite™	r	40#								5 / 10	freezer
45089	2.3 mil TC White Polypropylene	GPR™	a,R	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49192	PrimeScan®	SFA™	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49236	PrimeScan	SFA	a	72#								5*	
41879	PrimeScan	BC-20	r	40#				2.5 / 5 / 10	5 / 10			2.5 / 5 / 10	
41944	PrimeScan	BC-20	r	50#				2.5 / 5 / 10				2.5 / 5 / 10	
45682	PrimeScan	B-122F	a	40#								2.5 / 5 / 10	
41911	PrimeScan	B-122F	a	50#					5 / 10			5 / 10	
1470	PrimeScan	B-122F	a	44# PK								2.5 / 5 / 10	
41912	PrimeScan	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
42693	PrimeScan	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	textured surface
41927	PrimeScan	B-91	a,R	40#								5	
49078	2.6 mil White Pearlized BOPP	Frostbite	r	40#				5 / 10	2.5 / 5 / 10			5 / 10	freezer
49079	2.6 mil White Pearlized BOPP	LiftOff™	r,R	40#								5	
49051	2.6 mil White Pearlized BOPP	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments	
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO		VAN
<b>Digital Films Cont.</b>														
49299	2.6 mil White Pearlized BOPP	SFA™	a	40#					5 / 10			5 / 10		
49189	3.3 mil Durable Polypropylene	SFA	a	40#				5 / 10				5 / 10		
41896	3.3 mil Durable Polypropylene	B-122F™	a	40#								2.5 / 5 / 10		2-year outdoor
41909	3.3 mil Durable Polypropylene	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		2-year outdoor
42555	3.3 mil Durable Polypropylene	SureLock™	r,H	40#								2.5 / 5 / 10		textured surface
50283	2.0 mil TC Gloss White Polyester	SFA	a	50#								2.5 / 5 / 10		
50285	2.0 mil TC Gloss White Polyester	B-122F	a	40#					2.5 / 5 / 10			2.5 / 5 / 10		
50263	3.2 mil White Laser Vinyl	PRM-650	a	72#								2.5* / 5* / 10*		
45853	3.5 mil TC White Laser Vinyl	PRM-550	a	72#					2.5* / 5*			2.5* / 5*		discontinued once inventory is depleted
50142	3.2 mil TC White Laser Vinyl	RSM-95	a,R	72#								2.5* / 5*		
45115	Laser Vinyl Drum Label	PDL-09	a	72#					2.5* / 5* / 10*			2.5* / 5* / 10*		
41925	SafeTE™ Synthetic	BP-164	r	40#				2.5 / 5	2.5 / 5			2.5 / 5		tamper evident

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Papers</b>													
49224	Digital Semi Gloss	XYZ™	a	40#								2.5 / 5	
42707	Digital Semi Gloss	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
42708	Digital Semi Gloss	ATP™	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
41674	Bright Silver Metallized Paper	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
<b>Digital Films</b>													
41918	2.0 mil TC Clear Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
49220	2.0 mil TC Clear Polypropylene	SFA™	a	40# Brown								2.5 / 5 / 10	
49098	2.0 mil TC Clear Polypropylene	SFA	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49237	2.0 mil TC Clear Polypropylene	SFA	a	72#								2.5* / 5*	
44243	2.0 mil TC Clear Polypropylene	BC-20	r	40# Brown								2.5 / 5 / 10	
41869	2.0 mil TC Clear Polypropylene	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41953	2.0 mil TC Clear Polypropylene	B-122F™	a	50#								2.5 / 5 / 10	
1477	2.0 mil TC Clear Polypropylene	B-122F	a	44# PK								5	
41951	2.0 mil TC Clear Polypropylene	Frostbite™	r	40#				5 / 10				5 / 10	freezer
44072	2.0 mil TC Clear Polypropylene	SureLock™	r,H	40#								5 / 10	textured surface
41957	2.0 mil TC Clear Polypropylene	B-91	a,R	40#								2.5 / 5	
44953	2.0 mil TC Clear Polypropylene	GPR™	a,R	40#					2.5, 5			2.5 / 5	
45585	2.0 mil TC Clear Polypropylene	GPR	a,R	72#								5* / 10*	layflat removable

APP Appleton, WI   COL Columbus, IN   KC Kansas City, MO   LEM Lemont, IL   ONT Ontario, CA   SCR Scranton, PA   SPB Spartanburg, SC   TRO Troy, OH   VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable  
 Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core

spinnaker®



DOMINO SCREEN



FUJIFILM  
Value from Innovation



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Films Cont.</b>													
41919	2.3 mil TC White Polypropylene	BP-52	a	40#								2.5 / 5 / 10	
49238	2.3 mil TC White Polypropylene	SFA™	a	72#								2.5* / 5* / 10*	
41875	2.3 mil TC White Polypropylene	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
41954	2.3 mil TC White Polypropylene	B-122F™	a	50#				5				5	
43455	2.3 mil TC White Polypropylene	Frostbite™	r	40#								5 / 10	freezer
45089	2.3 mil TC White Polypropylene	GPR™	a,R	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49078	2.6 mil White Pearlized BOPP	Frostbite™	r	40#				5 / 10	2.5 / 5 / 10			5 / 10	freezer
49079	2.6 mil White Pearlized BOPP	LiftOff™	r,R	40#								5	
49051	2.6 mil White Pearlized BOPP	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49299	2.6 mil White Pearlized BOPP	SFA	a	40#					5 / 10			5 / 10	
42340	2.0 mil PTC Bright Silver Metallized BOPP	BC-20	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	craft beverage
41890	2.0 mil PTC Bright Silver Metallized BOPP	B-122F	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49192	PrimeScan®	SFA	a	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
49236	PrimeScan	SFA	a	72#								5*	
41879	PrimeScan	BC-20	r	40#				2.5 / 5 / 10	5 / 10			2.5 / 5 / 10	

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet									Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	VAN	
<b>Digital Films Cont.</b>														
41944	PrimeScan®	BC-20™	r	50#				2.5 / 5 / 10				2.5 / 5 / 10		
45682	PrimeScan	B-122F™	a	40#								2.5 / 5 / 10		
41911	PrimeScan	B-122F	a	50#					5 / 10			5 / 10		
1470	PrimeScan	B-122F	a	44# PK								2.5 / 5 / 10		
41912	PrimeScan	C-122F™	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
42693	PrimeScan	SureLock™	r,H	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		textured surface
41927	PrimeScan	B-91	a,R	40#								5		
41896	3.3 mil Durable Polypropylene	B-122F	a	40#								2.5 / 5 / 10		2-year outdoor
41909	3.3 mil Durable Polypropylene	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		2-year outdoor
42555	3.3 mil Durable Polypropylene	SureLock	r,H	40#								2.5 / 5 / 10		textured surface
41901	Kimdura 70	B-122F	a	40#				5 / 10				5 / 10		
41913	Kimdura 70	C-122F	a,H	50#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10		
45853	3.5 mil TC White Laser Vinyl	PRM-550	a	72#					2.5* / 5*			2.5* / 5*		discontinued once inventory is depleted
50142	3.2 mil TC White Laser Vinyl	RSM-95	a,R	72#								2.5* / 5*		
45115	Laser Vinyl Drum Label	PDL-09	a	72#					2.5* / 5* / 10*			2.5* / 5* / 10*		

APP Appleton, WI    COL Columbus, IN    KC Kansas City, MO    LEM Lemont, IL    ONT Ontario, CA    SCR Scranton, PA    SPB Spartanburg, SC    TRO Troy, OH    VAN Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core



**HP Indigo**  
Certified Media

Item No.	Facestock	Adhesive	Type	Liner	Distribution location and available lengths in thousands of feet								Comments
					APP	COL	KC	LEM	ONT	SCR	SPB	TRO	
<b>Digital Papers</b>													
49222	Semi Gloss	XYZ™	a	40#				2.5				2.5 / 5	
42707	Semi Gloss	BC-20™	r	40#				2.5 / 5 / 10	2.5 / 5 / 10			2.5 / 5 / 10	
42708	Semi Gloss	ATP™	a	40#					2.5 / 5 / 10			2.5 / 5 / 10	
43469	Semi Gloss Cover-up	BP-164	r	40#								2.5 / 5	

**APP** Appleton, WI   **COL** Columbus, IN   **KC** Kansas City, MO   **LEM** Lemont, IL   **ONT** Ontario, CA   **SCR** Scranton, PA   **SPB** Spartanburg, SC   **TRO** Troy, OH   **VAN** Vancouver, WA

Notes:  
 a = acrylic  
 r = rubber  
 L = light coat wt.  
 H = heavy coat wt.  
 R = Removable

Numbers indicate length of program in thousands of feet (5 = 5,000 ft.)  
 Length tolerance +/- 10%  
 2,500/5,000 ft. roll minimum 3" width  
 10,000 ft. roll minimum 4" width  
 3" core standard | \* 6" core

© 2026 Morgan Adhesives Company  
MAC3218 (5/26)

Mactac, CHILL AT, White Gold, DiversiPrint, DURASCAN, MACcopy, MACcopy Jr., MACjet, Optiscan, InFusion, Bloom hi.impact, INDIE, PrimeScan, PUREtac, PUREapply, PUREfloat, 4LZ, AmpClamp, ATP, B-122F, BC-20, C-122F, Coverglos, Covermatte, Frostbite, GripTight, GPR, LiftOff, MACScript, Platinum, Primeglos, SafeTE, ScanTherm, ScanTherm-Poly, SFA, Skweeze, SureLock, Ultra Matte, XYZ, and Spinnaker are registered trademarks of Morgan Adhesives Company.

Precise is a service mark of Morgan Adhesives Company.  
LINTEC is a registered trademark of LINTEC Corporation.

All other trademarks are the property of their respective owners.



Mactac North America  
4560 Darrow Road • Stow, OH 44224-1898 • ph: 800.548.3456  
email: [Mactac.Americas@mactac.com](mailto:Mactac.Americas@mactac.com) • [www.mactac.com/rolllabel](http://www.mactac.com/rolllabel)