

Semi-Gloss

Product Offering



Roll Label

PSA-coated papers and films in roll-to-roll form. Extensive product options, available customization, varying roll lengths and widths, and customer friendly services, like our Mactac PreciseSM Program, which offers a precise amount of material needed for small runs and limited applications.

www.mactac.com/rolllabel

Trusted Products. Proven Expertise. Real Results.

With Mactac, the Semi-gloss labelstocks you rely on are always within reach—accessible, dependable, and backed by more than 60 years of adhesive expertise.

- **Largest Selection** - 50+ Semi-gloss products tailored to your needs
- **Flexibility** - Low minimum order quantities, starting at just 5,000 feet
- **Accessibility** - Stocked at 11 locations nationwide
- **Expert Guidance** - Dedicated technical centers of excellence to deliver solutions for the most complex applications

PLATINUM™

Semi-Gloss

The Platinum Brand –
Brilliance, Durability
and Strength.

Platinum makes your graphics sparkle, gives your labels the robustness needed for today's difficult applications, and keeps your presses running fast and smooth. Platinum is offered in a variety of basis weights and adhesive options giving you a vast selection for your application needs. The Platinum brand of semi-gloss products are the choice for today's flexographic printers.

Product Number	Adhesive	Adhesive Type	Liner	Web Width	Length Ft	Approx. Wt MMSI	FSC^	Precise*
Platinum™ A 60# brilliant white semi-gloss coated sheet with outstanding ink receptivity and high internal strength characteristics for high speed printing and converting. The sheet has exceptional smoothness, whiteness, gloss and opacity.								
AC2602	640-AT	All-temp Permanent	2.4 SCK	78"	2,500	265#	■	■
AC2692	640-AT OPQ	All-temp Permanent, Block Out	2.4 SCK	78"	2,500	265#	■	■
AC4502	705VHP	High Tack Permanent	2.4 SCK	78"	2,500	265#	■	■
AC5001	Glacier® 733	Freezer	2.4 SCK	60"	2,500	265#	■	
AC5102	HR-51	Removable	2.4 SCK	78"	2,500	265#	■	■
AC5112LF ⁺	HR-51	Removable	3.2 Kraft	78"	2,500	295#	■	
AC7002	711VHP	Direct Food	2.4 SCK	78"	2,500	265#		■
AC7202	711VHP	Direct Food, Heavy Coat Weight	2.4 SCK	78"	2,500	265#	■	■
AC7802	CHILL AT®	All Temp Permanent	2.4 SCK	78"	2,500	265#	■	■
AC8402	MR840	Ultra Removable	2.4 SCK	78"	2,500	265#	■	■
AC8602	MR860	Removable	2.4 SCK	78"	2,500	265#	■	■
AC9002	710VHP	Permanent	2.4 SCK	78"	2,500	265#	■	■
AC9502	ST-95	Permanent	2.4 SCK	78"	2,500	265#	■	■
AC9512LF ⁺	ST-95	Permanent	3.2 Kraft LF	78"	2,500	295#	■	■
Platinum Xtra 55# brilliant white semi-gloss coated litho sheet with outstanding ink receptivity and high internal strength characteristics for high speed printing and converting.								
SGL2602	640-AT	All-temp Permanent	2.4 SCK	78"	2,500	255#	■	■
SGL2692-2	640-AT	All-temp Permanent	1.2 mil PET	78"	2,500	205#		■
SGL7002	711VHP	Direct Food	2.4 SCK	78"	2,500	255#	■	■
SGL7092-2	711VHP	Direct Food	2.4 SCK	78"	2,500	255#	■	■
SGL7702	CHILL AT FDA	All-temp Permanent	2.4 SCK	78"	2,500	255#	■	■
SGL7792-2	CHILL AT FDA	All-temp Permanent	1.2 mil PET	78"	2,500	255#	■	■
SGL7802	CHILL AT	All-temp Permanent	2.4 SCK	78"	2,500	255#	■	■
SGL7892-2	CHILL AT	All-temp Permanent	1.2 mil PET	78"	2,500	205#	■	■
SGL7852-7	CHILL AT	All-temp Permanent	Bloom hi.impact®	78"	2,500	226#	■	■
SGL7902	CHILL AT EXTREME	All-temp High Tack	2.4 SCK	78"	2,500	255#	■	■
SGL9002	710VHP	Permanent	2.4 SCK	78"	2,500	255#	■	■
SGL9092-2	710VHP	Permanent	1.2 mil PET	78"	2,500	205#	■	■
SGL9502	ST-95	Permanent	2.4 SCK	78"	2,500	255#	■	■
SGL9512LF ⁺	ST-95	Permanent	3.2 Kraft LF	78"	2,500	285#	■	■
SGL9592-2	ST-95	Permanent	1.2 mil PET	78"	2,500	255#		■
Wet Strength 54# bright white wet strength semi-gloss construction with QUICK TACK and high wet strength ratio.								
SGW7802	CHILL AT	All-temp Permanent	2.4 SCK	78"	2,500	255#		■
Platinum Plus A 50# semi-gloss coated sheet that has been engineered specifically for use as a PS label stock with the Aqueous Flexographic, UV Flexographic and UV Rotary Letterpress printing.								
PLD2602	640-AT	All-temp Permanent	2.4 SCK	78"	2,500	250#	■	■
PLD2692-2	640-AT	All-temp Permanent	1.2 mil PET	78"	2,500	234#	■	■
PLD7002	711VHP	Direct Food	2.4 SCK	78"	2,500	250#	■	■
PLD9002	710VHP	Permanent	2.4 SCK	78"	2,500	250#	■	■
PLD9502	ST-95	Permanent	2.4 SCK	78"	2,500	250#	■	

* For more information see MAC3218 Precise/Trimless Guide

+ LAY FLAT GUARANTEE Lay flat products are designed for roll-to-sheet applications. They are guaranteed to exhibit lay flat properties of no greater than +/- 1/2" when evaluating an 8-1/2" x 11" sheet on a flat surface, face-up orientation in a climate controlled (70°F / 50% R.H.) environment. Lay flat products are supplied on 6" O.D. cores to prevent core related curl. Any products supplied on other than 6" cores are not guaranteed for lay flat against the parameters outlined above.

spinnaker®

Semi-Gloss

Complementing the Mactac-branded Platinum Semi-gloss paper offering is the Spinnaker® brand of high quality, prime paper labelstocks. Featuring smooth, mirror-like finishes, and availability with a wide variety of adhesives, Spinnaker is a reliable, trusted solution.

Product Number	Adhesive	Adhesive Type	Liner	Trim	Length 1,000ft	Approx. Wt MMSI	FSC [^]	Precise*	Comments
40# A highly flexible semi-gloss featuring a very smooth print surface. Recommended for tight mandrel applications.									
47538	BP-52	Acrylic, Permanent	40#	60"	10/5	211#		■	
47539	BC-20™	Rubber, Permanent	40#	60"	10/5	209#		■	
48036	FC-125	Rubber, Permanent	40#	60"	10/5/2.5	209#		■	
54# Primeglos™ A 54# bright white sheet featuring high CD tensile and MD tear, great die cutting and stripping characteristics, and good stiffness for dispensing. Low Parker Print and exceptional gloss make this sheet printable with all standard flexo and letterpress inks.									
48410	CLD-10	Rubber, Permanent	40#	60"	10/5	234#		■	
42004	SC-21	Rubber, Permanent	40#	60"	10/5/2.5	238#		■	
58# Primeglos™ A bright white, semi-gloss litho with excellent strength and print characteristics. It is printable by continuous laser when used with the appropriate adhesive and liner combinations.									
48567	BP-164	Rubber, Permanent	40#	60"	10/5/2.5	247#		■	
48573	BP-164	Rubber, Permanent	50#	60"	10/5/2.5	274#		■	
48561	BP-52	Acrylic, Permanent	40#	60"	10/5	249#		■	
48584	BC-20™	Rubber, Permanent	40#	60"	10/5/2.5	247#		■	
49340	XYZ™(2020)	Acrylic, Permanent	40#	60"	10/5/2.5	244#		■	
48575	LiftOff™	Rubber, Removable	40#	60"	5/2.5	238#		■	
48571	GripTight™	Rubber, Heavy Coat Weight	40#	60"	10/5/2.5	253#		■	
48572	SureLock™	Rubber, Heavy Coat Weight	40#	60"	10/5/2.5	253#		■	Textured Surface
48560	B-91	Acrylic, Removable	40#	60"	10/5/2.5	247#		■	
48562	GPR™	Acrylic, Removable	40#	60"	10/5/2.5	249#		■	
Layflat An archival quality, semi-gloss sheet engineered to remain stable and flat after flexo and laser printing, providing easy collating and packaging. It is appropriate for both desktop and commercial laser printing.									
42241	BP-52	Acrylic, Permanent	3.2LF	60"	10/5	247#		■	Laser / Archival
43598	HTR-1	Acrylic, Removable	3.2LF	60"	10/5	247#		■	
60# A bright white, semi-gloss litho with excellent strength characteristics. This sheet is printable with UV and water-based flexo, and UV letterpress inks. The lower basis weight creates an economical sheet, without sacrificing quality.									
49535	ATP™	Acrylic, Permanent	40#		10/5	255#		■	
49834	Frostbite™	Rubber, Permanent	40#		10/5	252#		■	

* For more information see MAC3218 Precise/Trimless Guide

Semi-Gloss

Product Offering